

Revision Date 29-Sep-2023

Product identifier

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Version 1

1. IDENTIFICATION

Product Name HEAD GASKET REPAIR 16 OZ Other means of identification Product Code 30300 Recommended use of the chemical and restrictions on use **Recommended Use** See directions provided with product Uses advised against All other applications Details of the supplier of the safety data sheet Manufacturer Address ITW Permatex, Inc. 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502 May Also Be Distributed by: **ITW Permatex Canada** 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994 **Company Phone Number** 866-732-9502 24-hour emergency phone number Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585

E-mail address: mail@permatex.com

Contract Number: MIS0003453

2. HAZARDS IDENTIFICATION

Classification


OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Label elements

Emergency Overview



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective clothing, gloves, and eye protection or face shield Contaminated work clothing must not be allowed out of the workplace Use only outdoors or in a well-ventilated area

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Rinse mouth Do NOT induce vomiting

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed. Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
SODIUM METASILICATE	6834-92-0	10 - <25%
COPPER	7440-50-8	1 - <2.5%

4. FIRST AID MEASURES

Description of first aid measures

-			
General advice	Get medical advice/attention if you feel unwell.		
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Take off contaminated clothing and wash before reuse.		
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.		
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.		
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	See section 2 for more information.		
Indication of any immediate medic	al attention and special treatment needed		
Note to physicians	Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			
	3. TIKE-TIOTTING MEROOKED		
Suitable extinguishing media Carbon dioxide (CO2), Use dry chem			
Carbon dioxide (CO2), Use dry chem	ical, Foam		
Carbon dioxide (CO2), Use dry chem Unsuitable extinguishing media None Specific hazards arising from the c	ical, Foam		
Carbon dioxide (CO2), Use dry chem Unsuitable extinguishing media None Specific hazards arising from the c None in particular. Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti	ical, Foam <u>hemical</u> None. None.		
Carbon dioxide (CO2), Use dry chem Unsuitable extinguishing media None Specific hazards arising from the c None in particular. Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre	ical, Foam <u>hemical</u> None. None. ons for firefighters		
Carbon dioxide (CO2), Use dry chem Unsuitable extinguishing media None Specific hazards arising from the of None in particular. Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear.	ical, Foam hemical None. None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full		
Carbon dioxide (CO2), Use dry chem Unsuitable extinguishing media None Specific hazards arising from the of None in particular. Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear.	ical, Foam hemical None. None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES		
Carbon dioxide (CO2), Use dry chem Unsuitable extinguishing media None Specific hazards arising from the of None in particular. Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear. Personal precautions, protective en-	ical, Foam hemical None. None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES quipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.		
Carbon dioxide (CO2), Use dry chem Unsuitable extinguishing media None Specific hazards arising from the of None in particular. Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear. Personal precautions, protective end Personal precautions	ical, Foam hemical None. None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES quipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.		

Methods for containment	thods for containment Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use personal protective equipment as required.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
7. HANDLING AND STORAGE			
Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.		
Conditions for safe storage, including any incompatibilities			

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
COPPER	TWA: 0.2 mg/m ³ fume	TWA: 0.1 mg/m ³ fume	IDLH: 100 mg/m ³ dust, fume and
7440-50-8	-	TWA: 1 mg/m ³ dust and mist	mist
		(vacated) TWA: 0.1 mg/m ³ Cu dust,	TWA: 1 mg/m ³ dust and mist
		fume, mist	TWA: 0.1 mg/m ³ fume

Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties			
Physical state	Liquid		
Appearance	No information available		
Odor	No information available		
Odor threshold	No information available		
Property_	<u>Values</u>		
рН	No information available		
Melting point / freezing point	No information available		

Remarks • Method

Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density Water solubility Solubility(ies) Partition coefficient Autoignition temperature	
Hyphen	
Kinematic viscosity	
Dynamic viscosity	
Explosive properties	
Oxidizing properties	

Other information Softening point Molecular weight Density Bulk density SADT (self-accelerating decomposition temperature) No information available No information available No information available No information available No information available

No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available

No information available No information available No information available No information available No information available

10. STABILITY AND REACTIVITY

Reactivity____

No information available

Chemical stability

Stable under normal conditions

Possibility of hazardous reactions None under normal processing.

None under normal processi

Conditions to avoid Excessive heat.

Incompatible materials Strong oxidizing agents

Hazardous decomposition products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Ingestion may cause irritation to mucous membranes.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
SODIUM METASILICATE 6834-92-0	= 1153 mg/kg (Rat)	-	-
COPPER 7440-50-8	-	-	> 5.11 mg/L (Rat)4 h
Symptoms related to the physic	ical, chemical and toxicologica	I characteristics	
Symptoms	No information available.		
Delayed and immediate effects	s as well as chronic effects from	n short and long-term expos	ure
Sensitization Germ cell mutagenicity Carcinogenicity Legend	No information available. No information available. No information available.		
ACGIH (American Conference of Governmental Industrial Hygienists) A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen A3 - Animal Carcinogen A4 - Not Classifiable as a Human Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans Group 3 - Not classifiable as a human carcinogen NTP (National Toxicology Program) Known - Known Carcinogen NTP (National Safety and Health Administration of the US Department of Labor X - Present			
, ,			
	12. ECOLOGICA	L INFORMATION	

Ecotoxicity

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

US EPA Waste Number

Not applicable

14. TRANSPORT INFORMATION

DOT UN/ID No Proper shipping name Transport hazard class(es) Packing Group	UN3253 Disodium trioxosilicate, Limited Quantity (LQ) 8 III
IATA UN number or ID number Proper shipping name Transport hazard class(es) Packing group	UN3253 (Disodium trioxosilicate) 8 III
IMDG UN number or ID number Proper shipping name Transport hazard class(es) Packing Group EmS-No	UN3253 (Disodium trioxosilicate), Limited Quantity (LQ) 8 III F-A, S-B

International Inventories			
TSCA	Complies		
DSL/NDSL	Complies		
EINECS/ELINCS	Does not comply		
ENCS	Does not comply		
ECSC	Complies		
KECI	Does not comply		
PICCS	Does not comply		
AICS	Complies		

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
COPPER - 7440-50-8	1.0
SARA 311/312 Hazard Categories	

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
COPPER	-	Х	Х	-
7440-50-8				

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

	Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
	COPPER	5000 lb	-	RQ 5000 lb final RQ
	7440-50-8			RQ 2270 kg final RQ
1	IC State Demulations	•		

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
PROPYLENE GLYCOL	X	-	Х
57-55-6			
COPPER	X	X	Х
7440-50-8			
SILICA, AMORPHOUS	X	X	Х
112926-00-8			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 2	Flammability 1	Instability 0	-
HMIS	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection B

Revision Date

29-Sep-2023

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However,Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of theinformation. User is responsible for evaluating whether such information or this product is fit for a particular purposeand suitable for a particular use or application. The information in this data sheet may not be valid if this product is usedin combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims anyliability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of thisproduct. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet