

Revision Date 21-Jan-2025

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Version 1

1. Identification	
Product identifier	
Product Name	SCREW GLUE REPAIR GEL, 5 GR
Other means of identification	
Product Code	PX28205
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Adhesive
Restrictions on use	No information available
Details of the supplier of the safety	data sheet
Manufacturer Address ITW Permatex, Inc. 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502	May Also Be Distributed by: ITW Permatex Canada 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994
E-mail address	mail@permatex.com
Emergency telephone number	
24 Hour Emergency Phone Number	Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453
24-hour emergency phone number	No information available

2. Hazard(s) identification

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

Label elements

Contains CUMENE HYDROPEROXIDE; CUMENE; TITANIUM DIOXIDE



Danger

Hazard statements

Causes skin irritation. Causes serious eye irritation. May cause cancer. May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Do not breathe dust, fume, gas, mist, vapors and spray. **Precautionary Statements - Response** IF exposed or concerned: Get medical advice/attention.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

Skin

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice and attention.

Take off contaminated clothing and wash before reuse.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant.

9.95 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

13.4 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

37.95728 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

37.95728 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

35.25728 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Other Information

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
CUMENE HYDROPEROXIDE	80-15-9	1-5%	-	-
PROPYLENE GLYCOL	57-55-6	1-5%	-	-
TITANIUM DIOXIDE	13463-67-7	0.1-1%	-	-

TETRASODIUM EDTA	64-02-8	0.1-1%	-	-
CUMENE	98-82-8	0.1-1%	-	-

4. First-aid measures	
Description of first aid measures	
General advice	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).
Most important symptoms and effe	ects, both acute and delayed
Symptoms	May cause redness and tearing of the eyes. Burning sensation.
Effects of Exposure	May cause cancer. May cause damage to organs through prolonged or repeated exposure.
Indication of any immediate medicate	al attention and special treatment needed
Note to physicians	Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	No information available.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
TITANIUM DIOXIDE	TWA: 0.2 mg/m ³ nanoscale	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³
13463-67-7	respirable particulate matter	(vacated) TWA: 10 mg/m ³	TWA: 2.4 mg/m ³ CIB 63 fine
	TWA: 2.5 mg/m ³ finescale	total dust	TWA: 0.3 mg/m ³ CIB 63
	respirable particulate matter		ultrafine, including engineered
			nanoscale
CUMENE	TWA: 5 ppm	TWA: 50 ppm	IDLH: 900 ppm
98-82-8		TWA: 245 mg/m ³	TWA: 50 ppm
		(vacated) TWA: 50 ppm	TWA: 245 mg/m ³
		(vacated) TWA: 245 mg/m ³	
		(vacated) Sk*	
		Sk*	

Chemical name	Alberta	British Columbia	Ontario	Quebec
PROPYLENE GLYCOL	-	-	TWA: 10 mg/m ³	-
57-55-6			TWA: 50 ppm	
			TWA: 155 mg/m ³	
TITANIUM DIOXIDE	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7		TWA: 3 mg/m ³		
CUMENE	TWA: 50 ppm	TWA: 25 ppm	TWA: 50 ppm	TWA: 5 ppm
98-82-8	TWA: 246 mg/m ³	STEL: 75 ppm		

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
TITANIUM DIOXIDE	TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³	TWA: 10 mg/m ³	TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³	TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³
CUMENE	TWA: 5 ppm	TWA: 50 ppm	TWA: 5 ppm	TWA: 5 ppm

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
TITANIUM DIOXIDE	TWA: 10 mg/m ³ STEL: 20 mg/m ³	TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³	TWA: 10 mg/m ³ STEL: 20 mg/m ³	TWA: 30 mppcf TWA: 10 mg/m ³ STEL: 20 mg/m ³
CUMENE	TWA: 50 ppm STEL: 74 ppm	TWA: 5 ppm	TWA: 50 ppm STEL: 74 ppm	TWA: 50 ppm TWA: 245 mg/m ³ STEL: 75 ppm STEL: 365 mg/m ³ Sk*

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	If splashes are likely to occur, wear safety glasses with side-shields.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
Respiratory protection	Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

9. Physical and chemical properties

Relative density

Information on basic physical and chemical properties			
Physical state	Paste / Gel Liquid		
Appearance	Blue		
Color	Blue		
Odor	Mild		
Odor threshold	No information available		
Property_	Values_	Remarks • Method	
pH	No data available	10% in deionized water	
Melting point / freezing point	No data available	Estimated	
Boiling point / boiling range	> 150 °C / 302 °F		
Flash point	> 95 °C / 203 °F		
Evaporation rate	Not applicable	Butyl acetate = 1	
Flammability (solid, gas)	No data available	Flammable in the presence of the following materials	
		or conditions: open flames, sparks and static	
		discharge.	
Flammability Limit in Air		None known	
Upper flammability limit:	No data available		
Lower flammability limit:	No data available		
Vapor pressure	No Data Available	mmHg	
Vapor density	No data available	Air = 1	

1.11 - 1.15

Water solubility Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature	No data available Insoluble in water No Data Available No Data Available No data available No data available	None known None known Estimated Remarks: Self-Accelerating decomposition temperature (SADT): 50 °C SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Kinematic viscosity	No Data Available	Kinematic viscosity at 100 degrees C
Dynamic viscosity	No data available	Remarks: Self-Accelerating decomposition temperature (SADT): 50 °C SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point Molecular weight	No information available No information available	
VOC content	4.73728	
Density	No information available	
Bulk density	No information available	
10. Stability and reactivity		
Reactivity	No information available.	

Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.
Hererdeus desembesition products	Nana known based on information auguliad

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.	
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.	
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).	
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.	
Symptoms related to the physical, chemical and toxicological characteristics		
Symptoms	Redness. May cause redness and tearing of the eyes.	
Acute toxicity		

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	10,505.90	mg/kg
ATEmix (dermal)	13,233.80	mg/kg
ATEmix (inhalation-gas)	99,999.00	ppm
ATEmix (inhalation-vapor)	99,999.00	mg/l
ATEmix (inhalation-dust/mist)	12.00 mg/	/1

9.95 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

13.4 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

37.95728 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

37.95728 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

35.25728 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
CUMENE HYDROPEROXIDE 80-15-9	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat)4 h
PROPYLENE GLYCOL 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-
TITANIUM DIOXIDE 13463-67-7	> 2000 mg/kg (Rat)	-	> 5.09 mg/L (Rat)4 h
TETRASODIUM EDTA 64-02-8	= 1658 mg/kg (Rat)	-	-
CUMENE 98-82-8	= 1400 mg/kg (Rat)	= 12300 µL/kg (Rabbit)	> 3577 ppm (Rat)6 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
TITANIUM DIOXIDE	A3	Group 2B	-	Х
13463-67-7				
CUMENE	A3	Group 2B	Reasonably Anticipated	Х
98-82-8				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans NTP (National Toxicology Program) Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen Occupational Safety and Health Administration of the US Department of Labor X - Present

Reproductive toxicity

No information available.

STOT - single exposure	No information available.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	No information available.

12. Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
	, "gao, aquano pianto		microorganisms	
CUMENE HYDROPEROXIDE	-	LC50: =3.9mg/L (96h,	-	-
80-15-9		Oncorhynchus mykiss)		
PROPYLENE GLYCOL	EC50: =19000mg/L	LC50: =51600mg/L	-	EC50: >1000mg/L (48h,
57-55-6	(96h,	(96h, Oncorhynchus		Daphnia magna)
	Pseudokirchneriella	mykiss)		
	subcapitata)	LC50: 41 - 47mL/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =51400mg/L		
		(96h, Pimephales		
		promelas)		
		LC50: =710mg/L (96h,		
		Pimephales promelas)		
TETRASODIUM EDTA	-	LC50: =41mg/L (96h,	-	-
64-02-8		Lepomis macrochirus)		
		LC50: =59.8mg/L (96h,		
		Pimephales promelas)		
CUMENE	EC50: =2.6mg/L (72h,	LC50: 6.04 - 6.61mg/L	-	EC50: =0.6mg/L (48h,
98-82-8	Pseudokirchneriella	(96h, Pimephales		Daphnia magna)
	subcapitata)	promelas)		EC50: 7.9 - 14.1mg/L
		LC50: =4.8mg/L (96h,		(48h, Daphnia magna)
		Oncorhynchus mykiss)		
		LC50: =2.7mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =5.1mg/L (96h,		
		Poecilia reticulata)		

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
CUMENE HYDROPEROXIDE	1.6
80-15-9	
PROPYLENE GLYCOL	-1.07
57-55-6	
CUMENE	3.55
98-82-8	

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
US EPA Waste Number	Waste designations and classifications should be determined by the end user based on the application for which the product was used.

14. Transport information

DOT	Not regulated
<u>TDG</u>	Not regulated
MEX	Not regulated
ICAO (air)	Not regulated
IATA_	Not regulated
IMDG	Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA	Natural
DSL/NDSL	Natural
EINECS/ELINCS	Natural
ENCS	Natural
IECSC	Natural
KECI	Natural
PICCS	Natural
AICS	Natural
NZIOC	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing Chemicals Inventory
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
CUMENE HYDROPEROXIDE - 80-15-9	1.0	
SACCHARIN - 81-07-2	1.0	
CUMENE - 98-82-8	0.1	

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
CUMENE HYDROPEROXIDE	10 lb		RQ 10 lb final RQ
80-15-9	dioi	-	
	5000 lb		RQ 4.54 kg final RQ
CUMENE	5000 lb	-	RQ 5000 lb final RQ
98-82-8			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65	
TITANIUM DIOXIDE - 13463-67-7	*Carcinogen (airborne, unbound particles of respirable size)	
CUMENE - 98-82-8	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
CUMENE HYDROPEROXIDE	Х	X	Х
80-15-9			
PROPYLENE GLYCOL	Х	-	Х
57-55-6			
SACCHARIN	Х	X	Х
81-07-2			
TITANIUM DIOXIDE	Х	X	Х
13463-67-7			
CUMENE	Х	X	Х
98-82-8			
ACETOPHENONE	Х	X	Х
98-86-2			
P-BENZOQUINONE	Х	X	Х
106-51-4			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other info	ormation				
NFPA HMIS Chronic Hazard Sta	Health hazards 2 Health hazards 2 * r Legend *= Chron	Flammability Flammability ic Health Hazard		Instability 0 Physical hazards 0	Special hazards $-$ Personal protection X
Key or legend to a	abbreviations and acronym	s used in the safet	ty data sl	neet	
PBT: Persistent, I	y Estimate Concentration	BT) Substances	es		
Legend Section TWA Ceiling +	8: EXPOSURE CONTROLS/ TWA (time-weighted average Maximum limit value Sensitizers		TEL	STEL (Short Term Skin designation	n Exposure Limit)
Agency for Toxic S U.S. Environmental European Food Sa Environmental Pro Acute Exposure Gi U.S. Environmenta V.S. Environmenta Food Research Jo Hazardous Substa International Unifor National Institute o Australia National In NIOSH (National In National Library of U.S. National Toxic New Zealand's Cho Organization for Ed	Lideline Level(s) (AEGL(s)) I Protection Agency Federal I I Protection Agency High Pro- urnal Ince Database rm Chemical Information Data f Technology and Evaluation Industrial Chemicals Notificati Institute for Occupational Safe Medicine's ChemID Plus (NL Medicine's PubMed database cology Program (NTP) emical Classification and Info conomic Co-operation and Dec conomic Co-operation and Dec conomic Co-operation and Dec	stry (ATSDR) w Database nsecticide, Fungicio duction Volume Cho base (IUCLID) (NITE) on and Assessmen ty and Health) M CIP) e (NLM PUBMED) mation Database (for velopment Environ	de, and R emicals It Scheme CCID) ment, He oduction	odenticide Act e (NICNAS) alth, and Safety Publication Volume Chemicals Program	
Revision Date	21-Jan-2	025			
Revision Note	No inform	nation available.			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.