# **Permatex**

# SAFETY DATA SHEET

Revision Date 02-Mar-2023 Version 2

#### 1. IDENTIFICATION

**Product identifier** 

Product Name PERMATEX THE RIGHT STUFF GREY 90 MINUTE GASKET MAKER 3 OZ.

Other means of identification

Product Code 34328

Recommended use of the chemical and restrictions on use

Recommended Use Sealant

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address
ITW Permatex, Inc.
6875 Parkland Blvd.
Solon, Ohio 44139 USA
Telephone: 1-87-Permatex

(866) 732-9502

24-hour emergency phone number

Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003453

E-mail address: mail@permatex.com

May Also Be Distributed by:

ITW Permatex Canada 101-2360 Bristol Circle

Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

#### 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Carcinogenicity	Category 1A

#### Label elements

#### **Emergency Overview**

#### Signal word Danger

Causes serious eye irritation May cause an allergic skin reaction May cause cancer



Appearance Gray Physical state Paste / Gel Liquid Odor Mild

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace

Wear protective clothing, gloves, and eye protection or face shield

#### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
CALCIUM CARBONATE	471-34-1	15 - 40
LIMESTONE	1317-65-3	10 - 30
DISTILLATES (PETROLEUM),	64742-47-8	3 - 7
HYDROTREATED LIGHT		
2-BUTANONE OXIME	96-29-7	0.5-2.0
CRYSTALLINE SILICA	14808-60-7	0.1 - 1

#### 4. FIRST AID MEASURES

#### **Description of first aid measures**

34328 - PERMATEX THE RIGHT STUFF GREY 90 MINUTE GASKET MAKER 3 OZ.

INLITE CASKET MAKED 3 07

**General advice** If symptoms persist, call a physician.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

Revision Date 02-Mar-2023

persist, call a physician.

**Skin contact** IF ON SKIN:. Wash with soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Wash contaminated clothing before reuse. Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all

contaminated clothes and shoes. If skin irritation persists, call a physician.

**Inhalation** Immediate medical attention is not required. If symptoms persist, call a physician. Move to

fresh air in case of accidental inhalation of vapors or decomposition products.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Call a physician. Do NOT induce vomiting.

**Self-protection of the first aider**Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

**Symptoms** May cause allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use, Use dry chemical, Carbon dioxide (CO2), Water spray (fog), Alcohol resistant foam

#### Unsuitable extinguishing media

None

#### Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Remove all sources of ignition. Pay attention to flashback. Take precautionary measures

against static discharges. Use personal protective equipment as required.

**Environmental precautions** 

Environmental precautions See section 12 for additional ecological information. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Take precautionary

measures against static discharges.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Use with local exhaust ventilation. All equipment used when handling the product must be

grounded. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapors).

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep

in properly labeled containers.

Incompatible materials Strong oxidizing agents, Acids, Water

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
CALCIUM CARBONATE	-	-	TWA: 10 mg/m <sup>3</sup> total dust
471-34-1			TWA: 5 mg/m <sup>3</sup> respirable dust
LIMESTONE	-	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
1317-65-3		TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust
		(vacated) TWA: 15 mg/m <sup>3</sup> total	
		dust	
		(vacated) TWA: 5 mg/m³ respirable	
		fraction	
CRYSTALLINE SILICA	TWA: 0.025 mg/m³ respirable	TWA: 50 µg/m <sup>3</sup>	IDLH: 50 mg/m³ respirable dust
14808-60-7	particulate matter	TWA: 50 µg/m³ excludes	TWA: 0.05 mg/m <sup>3</sup> respirable dust
		construction work, agricultural	
		operations, and exposures that	
		result from the processing of	
		sorptive clays	
		(vacated) TWA: 0.1 mg/m <sup>3</sup>	
		respirable dust	
		: (250)/(%SiO2 + 5) mppcf TWA	
		respirable fraction	
		: (10)/(%SiO2 + 2) mg/m <sup>3</sup> TWA	
		respirable fraction	

NIOSH IDLH Immediately Dangerous to Life or Health

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.

Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as Respiratory protection

appropriate.

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and **General Hygiene Considerations** 

clothing is recommended.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Polymerization

Polymerization

Air = 1

Tag Closed Cup

9.1. Information on basic physical and chemical properties

**Physical state** Paste / Gel Liquid

**Appearance** Gray Odor Mild

Odor threshold No information available

Values Remarks • Method **Property** 

Нα No information available

Melting point / freezing point No information available Boiling point / boiling range No information available

Flash point > 95 °C / > 203 °F **Evaporation rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure <5 mmHg @ 70°F

Vapor density 3

Relative density 1.44

Not applicable Water solubility

No information available Solubility(ies) **Partition coefficient** No information available No information available **Autoignition temperature** Hyphen No information available Kinematic viscosity No information available **Dynamic viscosity** No information available No information available

**Explosive properties Oxidizing properties** 

No information available

Other Information Softening point

No information available Molecular weight No information available No information available **Density Bulk density** No information available SADT (self-accelerating No information available

decomposition temperature)

#### 10. STABILITY AND REACTIVITY

Reactivity

No information available

Chemical stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents, Acids, Water

**Hazardous Decomposition Products** 

Carbon oxides

Nitrogen oxides (NOx)

Formaldehyde

May release 2-butanone oxime (ethyl methyl ketoxime) at elevated temperature

#### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

May cause irritation of respiratory tract. Inhalation

Eye contact Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

Skin contact May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.

Ingestion Ingestion may cause irritation to mucous membranes.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
CALCIUM CARBONATE	= 6450 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 3 mg/L (Rat)4 h
471-34-1			
DISTILLATES (PETROLEUM),	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
HYDROTREATED LIGHT			
64742-47-8			
2-BUTANONE OXIME	= 930 mg/kg (Rat)	1000 - 1800 mg/kg (Rabbit)	> 4.83 mg/L (Rat) 4 h
96-29-7			- ' '

#### Symptoms related to the physical, chemical and toxicological characteristics

No information available. **Symptoms** 

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available. Sensitization Germ cell mutagenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Chemical name	ACGIH	IARC	NTP	OSHA
CRYSTALLINE SILICA	A2	Group 1	Known	X
14808-60-7		·		

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Target organ effects Eyes, Lymphatic System, Respiratory system, Skin.

#### The following values are calculated based on chapter 3.1 of the GHS document

14417 mg/kg ATEmix (oral) ATEmix (dermal) 25601 mg/kg

#### 12. ECOLOGICAL INFORMATION

Ecotoxicity

0.002 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### Mobility

No information available.

Chemical name	Partition coefficient	
2-BUTANONE OXIME	0.65	
96-29-7		

#### Other adverse effects

No information available

### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number Not applicable

This product contains one or more substances that are listed with the State of California as a hazardous waste.

#### 14. TRANSPORT INFORMATION

DOT

Proper shipping name Not regulated

<u>IATA</u>

Proper shipping name Not regulated

<u>IMDG</u>

Proper shipping name Not regulated

# 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** Complies **DSL/NDSL** Complies Complies **EINECS/ELINCS** Not determined **ENCS** Complies **IECSC KECL** Complies Complies **PICCS** Complies **AICS** 

Legend:

# 34328 - PERMATEX THE RIGHT STUFF GREY 90 MINUTE GASKET MAKER 3 OZ.

Revision Date 02-Mar-2023

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
CRYSTALLINE SILICA 14808-60-7	*Carcinogen

<sup>• \*</sup>The asterisked chemical(s) listed are not subject to Proposition 65 because they are not airborne in the finished product **U.S. State Right-to-Know Regulations** 

Chemical name	New Jersey	Massachusetts	Pennsylvania
LIMESTONE	X	X	X
1317-65-3			
ALUMINIUM POWDER	X	X	X
7429-90-5			
CRYSTALLINE SILICA 14808-60-7	X	X	Х

#### **U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

#### **WHMIS Hazard Class**

D2B - Toxic materials

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 1 Instability 0 -

HMIS Health hazards 2 Flammability 1 Physical hazards 0 Personal protection B

NFPA (National Fire Protection Association)
HMIS (Hazardous Material Information System)

**Revision Date** 

02-Mar-2023

#### **Disclaimer**

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

**End of Safety Data Sheet**