

Revision Date 21-Jan-2025

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Version 1

1. Identification	
Product identifier	
Product Name	MP-1 MUFFLER &TAILPIPE PUTTY 4OZ
Other means of identification	
Product Code	80333
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Sealant
Restrictions on use	No information available
Details of the supplier of the safety	data sheet
Manufacturer Address ITW Permatex, Inc. 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502	May Also Be Distributed by: ITW Permatex Canada 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994
E-mail address	mail@permatex.com
Emergency telephone number	
24 Hour Emergency Phone Number	Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453
24-hour emergency phone number	No information available

2. Hazard(s) identification

Classification

This product is not considered hazardous by either the US OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS).

Label elements

Hazard statements

This product is not considered hazardous by either the US OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS).

0.98 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

55.98 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

55.98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

55.98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

55.98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Other Information

May be harmful if swallowed.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

	Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
[KAOLIN	1332-58-7	15-40%	-	-

4. First-aid measures

Description of first aid measures

Inhalation	Remove to fresh air.			
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.			
Skin contact	Wash skin with soap and water.			
Ingestion	Rinse mouth.			
Most important symptoms and effe	cts, both acute and delayed			
Symptoms	No information available.			
Effects of Exposure	No information available.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	Treat symptomatically.			

5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	No information available.
Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	t None. None.
Special protective equipment and	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

precautions for fire-fighters

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning upPick up and transfer to properly labeled containers.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage				
Precautions for safe handling				
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.			
Conditions for safe storage, including any incompatibilities				
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.			

8. Exposure controls/personal protection

Control parameters

Exposure I	Limits
------------	--------

Chemical name	ACGIH TLV OSHA PEL		NIOSH
KAOLIN	TWA: 2 mg/m ³ particulate	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable
	and <1% crystalline silica,	fraction	dust
	respirable particulate matter	(vacated) TWA: 10 mg/m ³	
		total dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	

Chemical name	Alberta	British Columbia	Ontario	Quebec
KAOLIN	TWA: 2 mg/m ³			

1332-58-7

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
KAOLIN	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
KAOLIN	TWA: 2 mg/m ³ STEL: 4 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³ STEL: 4 mg/m ³	TWA: 30 mppcf TWA: 10 mg/m ³ STEL: 20 mg/m ³

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Appropriate eye/face protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction.
Hand protection	Appropriate hand protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction.
Skin and body protection	Appropriate skin and body protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction.
Respiratory protection	Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and	chemical properties	
Physical state	No information available	
Appearance	No information available	
Color	No information available	
Odor	No information available	
Odor threshold	No information available	
_		
Property	Values	Remarks • Method
рН	No data available	
Melting point / freezing point	No data available	Estimated
Boiling point / boiling range	110 °C / 230 °F	
Flash point	No data available	Gives a flame projection at full valve opening or

Evaporation rate Flammability (solid, gas)	< 1 No data available	flashback at any degree of valve opening Ether = 1 Flammable in the presence of the following materials or conditions: open flames, sparks and static discharge.
Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density	No data available No data available 24 mmHg @ 77°F (25°C) 0.6 1.60-1.69	None known Air = 1
Water solubility Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature	No data available No Data Available No Data Available No data available No data available	None known None known Estimated Remarks: Self-Accelerating decomposition temperature (SADT): 50 °C SADT-Self Accelerating Decomposition Temperature. Lowest temperature at
Kinematic viscosity Dynamic viscosity	No Data Available No data available	which the tested package size will undergo a self-accelerating decomposition reaction. Kinematic viscosity at 100 degrees C Remarks: Self-Accelerating decomposition temperature (SADT): 50 °C SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Other information Explosive properties Oxidizing properties Softening point Molecular weight VOC content Density Bulk density	No information available No information available No information available No information available No information available No information available	

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.

Ingestion

Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	3,563.60 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapor)	99,999.00 mg/l
ATEmix (inhalation-dust/mist)	99.999.0000 ma/l

0.98 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
55.98 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
55.98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
55.98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
55.98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (uspor)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
KAOLIN	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
1332-58-7			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. Ecological information

Ecotoxicity

Persistence and degradability	No information available.
Bioaccumulation	There is no data for this product.
Other adverse effects	No information available.

13. Disposal considerations

Waste treatment methods Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Contaminated packaging Do not reuse empty containers. US EPA Waste Number Waste designations and classifications should be determined by the end user based on the application for which the product was used.

14. Transport information

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
ICAO (air)	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies

Does not comply
Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

- **PICCS** Philippines Inventory of Chemicals and Chemical Substances
- AICS Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65	
CARBON BLACK - 1333-86-4	*Carcinogen (airborne, unbound particles of respirable size)	

*The asterisked chemical(s) listed are not subject to Proposition 65 because they are not airborne in the finished product

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
KAOLIN	X	X	Х
1332-58-7			
WATER	-	-	Х
7732-18-5			
CARBON BLACK	X	X	X
1333-86-4			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other info	ormation							
NFPA HMIS	Health hazards Health hazards			Instability 0 Physical hazards 0	Special hazards $\ \ -$ Personal protection $\ \ X$			
Key or legend to abbreviations and acronyms used in the safety data sheet								
PBT: Persistent, I vPvB: Very Persis	Concentration	tic (PBT) Substances	nces					
Legend Section TWA Ceiling +	8: EXPOSURE CONTRO TWA (time-weighted ave Maximum limit value Sensitizers		STEL *	STEL (Short Term Skin designation	n Exposure Limit)			
Agency for Toxic S U.S. Environmenta European Food Sa Environmental Pro Acute Exposure G U.S. Environmenta U.S. Environmenta Food Research Jo Hazardous Substa International Unifo National Institute of Australia National NIOSH (National In National Library of U.S. National Toxic New Zealand's Ch Organization for Ed	uideline Level(s) (AEGL(s al Protection Agency Fede al Protection Agency High urnal ince Database rm Chemical Information I of Technology and Evaluat Industrial Chemicals Notif nstitute for Occupational S Medicine's ChemID Plus Medicine's PubMed datal cology Program (NTP) emical Classification and conomic Co-operation and conomic Co-operation and conomic Co-operation and	Registry (ATSDR) mView Database s)) eral Insecticide, Fungi Production Volume (Database (IUCLID) tion (NITE) fication and Assessm Safety and Health) (NLM CIP) base (NLM PUBMED Information Database d Development Enviro d Development High	cide, and Ro Chemicals ent Scheme) e (CCID) ponment, Hea Production \	odenticide Act (NICNAS) alth, and Safety Publicatior /olume Chemicals Program				
Revision Date	21-Ja	an-2025						
Revision Note	No ir	nformation available.						

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.