

Revision Date 03-Oct-2024

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Version 1

1. Identification		
Product identifier		
Product Name	ULTRA GREY RIGID HIGH TORQUE RTV 13 OZ	
Other means of identification		
Product Code	82195	
Synonyms	CAN Item Number 59913	
Recommended use of the chemical and restrictions on use		
Recommended Use	Sealant	
Restrictions on use	No information available	
Details of the supplier of the safety data sheet		
Manufacturer Address ITW Permatex, Inc. 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502	<u>May Also Be Distributed by:</u> ITW Permatex Canada 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994	
E-mail address	mail@permatex.com	
Emergency telephone number		
24 Hour Emergency Phone Number	Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453	
24-hour emergency phone number	No information available	

2. Hazard(s) identification

Classification

This product is not considered hazardous by either the US OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS).

Label elements

Hazard statements

This product is not considered hazardous by either the US OSHA Hazard Communication Standard (29 CFR 1910.1200) or the

Canadian Workplace Hazardous Material Information System (WHMIS).

28.5855 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

25 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

55.5855 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

55.5855 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

33.1455 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Other Information

May be harmful in contact with skin.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Synonyms

CAN Item Number 59913.

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
CALCIUM CARBONATE	471-34-1	10-30%	-	-
STEARIC ACID	57-11-4	1-5%	-	-

4. First-aid measures

Description of first aid measures

Inhalation	Remove to fresh air.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash skin with soap and water.	
Ingestion	Rinse mouth.	
Most important symptoms and effects, both acute and delayedSymptomsNo information available.Effects of ExposureNo information available.Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. Fire-fighting measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Small Fire Large Fire	In case of fire, use water spray, foam, dry chemical, or CO2. In case of fire, use water spray, foam, dry chemical, or CO2.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	No information available.
Hazardous combustion products	No information available.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation.
----------------------	------------------------------

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	

7. Handling and storage

 Precautions for safe handling
 Handle in accordance with good industrial hygiene and safety practice.

 Conditions for safe storage, including any incompatibilities
 Storage Conditions

 Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

<u>Control parameters</u> Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
CALCIUM CARBONATE	-	-	TWA: 10 mg/m ³ total dust
471-34-1			TWA: 5 mg/m ³ respirable
			dust
STEARIC ACID 57-11-4	TWA: 10 mg/m ³ inhalable particulate matter	-	-
	TWA: 3 mg/m ³ respirable		
	particulate matter		

Chemical name	Alberta	British Columbia	Ontario	Quebec
CALCIUM CARBONATE 471-34-1	TWA: 10 mg/m ³	-	-	TWA: 10 mg/m ³
STEARIC ACID 57-11-4	-	TWA: 10 mg/m ³ TWA: 3 mg/m ³	TWA: 10 mg/m ³ TWA: 3 mg/m ³	TWA: 10 mg/m ³ TWA: 3 mg/m ³

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
STEARIC ACID	TWA: 10 mg/m ³ TWA: 3 mg/m ³		TWA: 10 mg/m ³ TWA: 3 mg/m ³	TWA: 10 mg/m ³ TWA: 3 mg/m ³

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
CALCIUM CARBONATE	TWA: 10 mg/m ³ STEL: 20 mg/m ³		TWA: 10 mg/m ³ STEL: 20 mg/m ³	TWA: 30 mppcf TWA: 10 mg/m ³ STEL: 20 mg/m ³
STEARIC ACID		TWA: 10 mg/m ³ TWA: 3 mg/m ³		

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Appropriate eye/face protection should be selected and used according to the chemical Eye/face protection nature, hazards and use of this product and safety requirements of the local jurisdiction. Hand protection Appropriate hand protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. Appropriate skin and body protection should be selected and used according to the Skin and body protection chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. **Respiratory protection** Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Handle in accordance with good industrial hygiene and safety practice. General hygiene considerations Thermal hazards No information available.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Paste / Gel Liquid
Appearance	Gray Paste
Color	Gray
Odor	Mild
Odor threshold	No information available

<u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas)	<u>Values</u> No data available No data available No data available > 93 °C / 199.4 °F < 1 No data available	Remarks • Method Estimated Polymerization Tag Closed Cup Butyl acetate = 1 Flammable in the presence of the following materials or conditions: open flames, sparks and static discharge.
Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density	No data available No data available <5 mm Hg @ 70°F >1 1.47	Air = 1
Water solubility Solubility(ies)	No data available None known No information available No Data Available	None known
Partition coefficient	No Data Available	None known
Autoignition temperature	No data available	Estimated
Decomposition temperature	No data available	Remarks: Self-Accelerating decomposition temperature (SADT): 50 °C SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Kinematic viscosity Dynamic viscosity	No Data Available No data available	Kinematic viscosity at 100 degrees C Remarks: Self-Accelerating decomposition temperature (SADT): 50 °C SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Other information Explosive properties Oxidizing properties Softening point Molecular weight VOC content Density Bulk density	No information available No information available No information available No information available <2% No information available 자료 없음	

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Hazardous polymerization	No information available.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products None known based on information supplied.	

11. Toxicological information

Information on likely routes of exposure

Inhalation	Specific test data for the substance or mixture is not available.	
Eye contact	Specific test data for the substance or mixture is not available.	
Skin contact	May be harmful in contact with skin.	
Ingestion	Specific test data for the substance or mixture is not available.	
Symptoms related to the physical, chemical and toxicological characteristics		
Symptoms	No information available.	
Acute toxicity		
Numerical measures of toxicity		
The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 16,163.70 mg/kg		
ATEmix (dormal)	1,000,00 mg/kg	

ATEINIX (Oral)	10,103.70 Hig/kg
ATEmix (dermal)	4,909.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapor)	99,999.00 mg/l
ATEmix (inhalation-dust/mist)	8.94 mg/l
	•

28.5855 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
25 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
55.5855 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
55.5855 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
33.1455 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
CALCIUM CARBONATE 471-34-1	= 6450 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 3 mg/L (Rat)4 h
STEARIC ACID 57-11-4	= 4600 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available	
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.

Aspiration hazard

No information available.

12. Ecological information

Ecotoxicity

Persistence and degradability	No information available.	
Bioaccumulation	There is no data for this product.	
Other adverse effects	No information available.	

13. Disposal considerations		
Waste treatment methods		
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.	
Contaminated packaging	Do not reuse empty containers.	
US EPA Waste Number	Waste designations and classifications should be determined by the end user based on the application for which the product was used.	

14. Transport information

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Complies
KECI	Complies
PICCS	Complies
AICS	Complies
NZIOC	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
ALUMINIUM POWDER	Х	Х	Х
7429-90-5			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16.	Other information

NFPA HMIS	Health hazards 2 Health hazards 0	Flammability Flammability		Instability 0 Physical hazards	0	Special hazards - Personal protection X
Key or legend to abbreviations and acronyms used in the safety data sheet						
PBT: Persistent, Bioad	timate	PBT) Substances	es			
Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION						
Ceiling Max	A (time-weighted averaç kimum limit value ısitizers	e) S	STEL	STEL (Short 1 Skin designati		Exposure Limit)
Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development Environment, Health, Set World Health Organization						
Revision Date	03-Oct-2	2024				
Revision Note	No infor	mation available.				

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.