SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 19-Sep-2023 **Version** 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code 09128

Product Name COPPER ANTI-SEIZE LUBRICANT 8OZ

Unique Formula Identifier (UFI) Code P00J-H0E5-J00C-14VP
Other means of identification

Contains DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Lubricant

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer
ITW Permatex, Inc.
6875 Parkland Blvd.
Solon, Ohio 44139 USA
Telephone: 1-87-Permatex
(866) 732-9502

Only Representative (OR)
ITW Permatex, Inc.
Bay 150
Shannon Industrial Estate
Co. Clare
Ireland
V14 DF82
353(61)771500
353(61)471285
customerservice.shannon@itwpp.com

For further information, please contact

Contact Point
ITW Permatex, Inc.
6875 Parkland Blvd.
Solon, Ohio 44139 USA
Telephone: 1-87-Permatex
(866) 732-9502

E-mail address: mail@permatex.com

1.4. Emergency telephone number

24-hour emergency phone number - §45 - (EC)1272/2008	
Europe	**112**
Austria	01 406 43 43
Belgium	070 245 245
Denmark	+ 45 8212 1212
Finland	0800 147 111/ 09 471 977
France	+33 (0)1 45 42 59 59
Germany	112 / 16117

Ireland	01 809 2166
Italy	0382-24444
Netherlands	+31 (0)88 755 8000
Norway	22 59 13 00
Poland	112
Portugal	+351 800 250 250
Slovenia	112
Spain	+34 91 562 04 20
Sweden	112
Switzerland	145
United Kingdom	111
Bulgaria	+359 2 9154 233
Croatia	+3851 2348 342
Cyprus	1401
Czech Republic	+420 224 919 293/ +420 224 915 402
Estonia	16662/ (+372) 7943 794
Greece	(003) 2107793777
Hungary	+36 80 201 199
Iceland	543 2222
Latvia	+371 67042473
Liechtenstein	01 406 43 43
Lithuania	+370 (85) 2362052
Luxembourg	(+352) 8002 5500
Romania	+40213183606
Slovakia	+421 2 5477 4166
Malta	112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Carcinogenicity	Category 1B - (H350)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)

2.2. Label elements

Contains DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC



Signal word

Danger

Hazard statements

H350 - May cause cancer
H410 - Very toxic to aquatic life with long lasting effects
H400 - Very toxic to aquatic life

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P308 + P313 - IF exposed or concerned: Get medical advice/attention.
P391 - Collect spillage.

P501 - Dispose of contents/ container to an approved waste disposal plant.

2.3. Other hazards
No information available.

Endocrine Disruptor Information

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Weight-%	REACH registration No.	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC 64742-54-7	30 - 60	Registration no. 01-2119484627-25-XXXX	265-157-1	Carc. 1B (H350) Note L	-	-	-
COPPER 7440-50-8	3 - 7		231-159-6	Eye Irrit. 2 (H319) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-	-	-
AMORPHOUS SILICA 7631-86-9	1 - 5		231-545-4	-	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate
No information available

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC 64742-54-7	15000	5000	No data available	No data available	No data available
AMORPHOUS SILICA 7631-86-9	7900	5000	58.8	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.

Ingestion Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Effects of Exposure No information available.

Note to physicians Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Specific use(s)
Lubricant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
COPPER 7440-50-8	-	TWA: 1 mg/m³ TWA: 0.1 mg/m³ STEL 4 mg/m³ STEL 0.4 mg/m³	TWA: 0.2 mg/m³ TWA: 1 mg/m³	TWA: 0.1 mg/m³	TWA: 0.2 mg/m³ TWA: 1 mg/m³ STEL: 2 mg/m³
AMORPHOUS SILICA 7631-86-9	TWA 0.1 mg/m³ respirable fraction	TWA: 4 mg/m³	-	TWA: 0.1 mg/m³	-
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
COPPER 7440-50-8	-	TWA: 1 mg/m³ TWA: 0.1 mg/m³ Ceiling: 2 mg/m³ Ceiling: 0.2 mg/m³	TWA: 1.0 mg/m³ TWA: 0.1 mg/m³	TWA: 1 mg/m³ TWA: 0.2 mg/m³	TWA: 0.02 mg/m³
AMORPHOUS SILICA 7631-86-9	TWA: 0.1 mg/m³	TWA: 0.1 mg/m³ TWA: 4.0 mg/m³	-	TWA: 2 mg/m³	TWA: 5 mg/m³ TWA: 0.05 mg/m³ TWA: 0.1 mg/m³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
COPPER 7440-50-8	TWA: 0.2 mg/m³ TWA: 1 mg/m³ STEL: 2 mg/m³	-	TWA: 0.01 mg/m³ Ceiling / Peak: 0.02 mg/m³	TWA: 0.2 mg/m³ TWA: 1 mg/m³ STEL: 2 mg/m³	TWA: 0.1 mg/m³ TWA: 0.01 mg/m³ STEL: 0.2 mg/m³
AMORPHOUS SILICA	-	TWA: 4 mg/m³	TWA: 4 mg/m³	TWA: 0.1 mg/m³	-

7631-86-9					
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
COPPER 7440-50-8	TWA: 0.2 mg/m³ TWA: 1 mg/m³ STEL: 2 mg/m³ STEL: 0.6 mg/m³	-	TWA: 0.2 mg/m³	TWA: 0.5 mg/m³ STEL: 1 mg/m³	TWA: 1 mg/m³ TWA: 0.2 mg/m³
AMORPHOUS SILICA 7631-86-9	TWA: 6 mg/m³ TWA: 2.4 mg/m³ STEL: 18 mg/m³ STEL: 7.2 mg/m³	TWA: 0.1 mg/m³	-	TWA: 1 mg/m³ TWA: 0.1 mg/m³	-
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
COPPER 7440-50-8	-	-	TWA: 0.1 mg/m³	TWA: 0.1 mg/m³ TWA: 1 mg/m³ STEL: 3 mg/m³ STEL: 0.3 mg/m³	TWA: 0.2 mg/m³
AMORPHOUS SILICA 7631-86-9	-	-	TWA: 0.75 mg/m³	TWA: 1.5 mg/m³ STEL: 3 mg/m³	-
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
COPPER 7440-50-8	TWA: 0.2 mg/m³ TWA: 1 mg/m³	TWA: 0.5 mg/m³ STEL: 0.2 mg/m³ STEL: 1.5 mg/m³	TWA: 1 mg/m³ TWA: 0.2 mg/m³	-	TWA: 0.1 mg/m³
AMORPHOUS SILICA 7631-86-9	TWA: 0.05 mg/m³ TWA: 0.1 mg/m³	-	-	TWA: 4 mg/m³	-

Chemical name	Sweden	Switzerland	United Kingdom
COPPER 7440-50-8	NGV: 0.01 mg/m³	TWA: 0.1 mg/m³ STEL: 0.2 mg/m³	TWA: 1 mg/m³ TWA: 0.2 mg/m³ STEL: 0.6 mg/m³ STEL: 2 mg/m³
AMORPHOUS SILICA 7631-86-9	-	TWA: 4 mg/m³	TWA: 6 mg/m³ TWA: 2.4 mg/m³ TWA: 0.1 mg/m³ STEL: 18 mg/m³ STEL: 7.2 mg/m³

Biological occupational exposure limits
This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

8.2. Exposure controls

Derived No Effect Level (DNEL) - Workers No information available

Derived No Effect Level (DNEL) - General Public No information available.

Predicted No Effect Concentration (PNEC) No information available.

Personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection No special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Paste / Gel Liquid
Appearance	Copper
Color	No information available
Odor	Petroleum
Odor threshold	No information available

Property	**Values**	**Remarks • Method**
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Flash point	216 °C	
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No Data Available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available Insoluble in water	
Solubility(ies)	No Data Available	None known
Partition coefficient	No Data Available	None known
Vapor pressure	No Data Available	None known
Relative density	1.21	
Bulk density	No data available	
Density	No data available	
Vapor density	No data available	Air = 1
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
VOC content	0%	None known

9.2. Other information

Formula No information available

9.2.1. Information with regard to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available Butyl acetate = 1

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data
Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous Decomposition Products Carbon oxides. Metal oxides. Halogenated compounds.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document
ATEmix (oral) 18,281.40 mg/kg
ATEmix (dermal) 6,332.40 mg/kg
ATEmix (inhalation-dust/mist) 417.8975 mg/l

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
COPPER	-	-	> 5.11 mg/L (Rat) 4 h
AMORPHOUS SILICA	= 7900 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 58.8 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Chemical name	European Union
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	Carc. 1B

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	-	5000: 96 h Oncorhynchus mykiss mg/L LC50	-	1000: 48 h Daphnia magna mg/L EC50
COPPER	0.031 - 0.054: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 0.0426 - 0.0535: 72 h Pseudokirchneriella subcapitata mg/L EC50	0.0068 - 0.0156: 96 h Pimephales promelas mg/L LC50 0.3: 96 h Pimephales promelas mg/L LC50 static 0.052: 96 h	-	0.03: 48 h Daphnia magna mg/L EC50 Static

	static	Oncorhynchus mykiss mg/L LC50 flow-through 0.112: 96 h Poecilia reticulata mg/L LC50 flow-through 0.2: 96 h Pimephales promelas mg/L LC50 flow-through 0.3: 96 h Cyprinus carpio mg/L LC50 semi-static 0.8: 96 h Cyprinus carpio mg/L LC50 static 1.25: 96 h Lepomis macrochirus mg/L LC50 static		
AMORPHOUS SILICA	440: 72 h Pseudokirchneriella subcapitata mg/L EC50	5000: 96 h Brachydanio rerio mg/L LC50 static	-	7600: 48 h Ceriodaphnia dubia mg/L EC50

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	The substance is not PBT / vPvB
COPPER	The substance is not PBT / vPvB
AMORPHOUS SILICA	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects
No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number Not regulated
14.2
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazard Not applicable
14.6 Special precautions for user

IMDG

14.1 UN number or ID number Not regulated
14.2
14.3 Transport hazard class(es) Not regulated
14.4 Packing Group Not regulated
14.5 Environmental hazard Not applicable
14.6 Special precautions for user
14.7 Maritime transport in bulk according to IMO instruments

RID

14.1 UN/ID No UN3077
14.2 Proper shipping name Environmentally hazardous substances, solid, n.o.s. (copper) Marine Pollutant
14.3 Transport hazard class(es) 9
14.4 Packing Group III
14.5 Environmental hazard Not applicable
14.6 Special precautions for user

ADR

14.1 UN number or ID number UN3077
14.2 Proper shipping name Environmentally hazardous substances, solid, n.o.s. (copper) Marine Pollutant
14.3 Transport hazard class(es) 9
14.4 Packing Group III
14.5 Environmental hazard Not applicable
14.6 Special precautions for user
Classification code M6

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical name	French RG number
AMORPHOUS SILICA - 7631-86-9	RG 25

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC - 64742-54-7	28. 75.	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009
Not applicable

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

15.2. Chemical safety assessment
Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3
H319 - Causes serious eye irritation
H350 - May cause cancer
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Legend
SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method

Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method

Key literature references and sources for data used to compile the SDS
Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine’s PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision Date 19-Sep-2023

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
Disclaimer
Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet

EU SDS version information - EGHS
UL release:
GHS Revision 7
2023 Q1

Full text of H-Statements referred to under section 3 H319 - Causes serious eye irritation H350 - May cause cancer H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects

Chemical name	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	Carc. 1B (H350) Note L	
COPPER	Eye Irrit. 2 (H319) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	

Chemical name	CAS No	French RG number
AMORPHOUS SILICA	7631-86-9	RG 25

VOC content