



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and
Regulation (EC) No. 1272/2008

Revision Date 10-Jan-2025

Version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code 24250
Product Name MEDIUM STRENGTH THREADLOCKER BLUE 50 ML

Other means of identification

Unique Formula Identifier (UFI) A75J-D0HD-700H-DYEM

Mixture. Contains CUMENE HYDROPEROXIDE; CUMENE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Adhesive
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

ITW Permatex, Inc.
6875 Parkland Blvd.
Solon, Ohio 44139 USA
Telephone: 1-87-Permatex
(866) 732-9502

Only Representative (OR)

ITW Permatex, Inc.
Bay 150
Shannon Industrial Estate
Co. Clare
Ireland
V14 DF82
353(61)771500
353(61)471285
customerservice.shannon@itwpp.com

For further information, please contact

Contact Point ITW Permatex, Inc.
6875 Parkland Blvd.
Solon, Ohio 44139 USA
Telephone: 1-87-Permatex
(866) 732-9502

E-mail address: mail@permatex.com

Non-Emergency Telephone Number 866-732-9502

1.4. Emergency telephone number

24-hour emergency phone number EU Member States information as follows:

24-hour emergency phone number - §45 - (EC)1272/2008	
Europe	112
Austria	01 406 43 43

Belgium	070 245 245
Bulgaria	+359 2 9154 233
Croatia	+3851 2348 342
Cyprus	1401
Czech Republic	+420 224 919 293/ +420 224 915 402
Denmark	+ 45 8212 1212
Estonia	16662/ (+372) 7943 794
Finland	0800 147 111/ 09 471 977
France	+33 (0)1 45 42 59 59
Germany	+49 228 192 40
Greece	(003) 2107793777
Hungary	+36 80 201 199
Iceland	543 2222
Ireland	01 809 2166
Italy	0382-24444
Latvia	+371 67042473
Liechtenstein	01 406 43 43
Lithuania	+370 (85) 2362052
Luxembourg	(+352) 8002 5500
Malta	112
Netherlands	+31 (0)88 755 8000
Norway	22 59 13 00
Poland	112
Portugal	+351 800 250 250
Romania	+40213183606
Slovakia	+421 2 5477 4166
Slovenia	112
Spain	+34 91 562 04 20
Sweden	112
Switzerland	145
United Kingdom	111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye irritation	Category 2 - (H319)
Carcinogenicity	Category 1B - (H350)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Category 3 Target organ effects: Respiratory irritation.	

2.2. Label elements

Contains CUMENE HYDROPEROXIDE; CUMENE



Signal word
Danger

Hazard statements

H319 - Causes serious eye irritation.
H335 - May cause respiratory irritation.
H350 - May cause cancer.

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use.
P261 - Avoid breathing dust, fume, gas, mist, vapors and spray.
P280 - Wear protective gloves, protective clothing, eye protection and face protection.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 - Call a POISON CENTER or doctor if you feel unwell.
P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

4.525 % of the mixture consists of ingredient(s) of unknown acute toxicity.
0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
4.525 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
4.525 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Unknown aquatic toxicity

Contains 93.234 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

Other hazards

Causes mild skin irritation.

PBT & vPvB

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
ETHYLENE GLYCOL 107-21-1	1-5%	No data available	203-473-3 (603-027-00-1)	Acute Tox. 4 (H302)	-	-	-	-
CUMENE HYDROPEROXIDE 80-15-9	1-5%	No data available	201-254-7 (617-002-00-8)	Org. Perox. E (H242) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Corr. 1B (H314) Acute Tox. 3 (H331) STOT RE 2 (H373) Aquatic Chronic 2 (H411)	Eye Dam. 1 :: 3%<=C<10% Eye Irrit. 2 :: 1%<=C<3% Skin Corr. 1B :: C>=10% Skin Irrit. 2 :: 3%<=C<10% STOT SE 3 :: C<10%	-	-	-

PROPYLENE GLYCOL 57-55-6	0.1-1%	No data available	200-338-0	No data available	-	-	-	-
TITANIUM DIOXIDE 13463-67-7	0.1-1%	No data available	236-675-5 (022-006-00-2)	Carc. 2 (H351i)	-	-	-	V,W,10
1-ACETYL-2-PHENYLHYDRAZINE 114-83-0	0.1-1%	No data available	204-055-3	No data available	-	-	-	-
CUMENE 98-82-8	0.1-1%	No data available	202-704-5 (601-024-00-X)	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) STOT SE 3 (H335) Carc. 1B (H350) Aquatic Chronic 2 (H411)	-	-	-	-
2-BUTOXYETHANOL 111-76-2	<0.1%	-	203-905-0 (603-014-00-0)	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 3 (H331)	-	-	-	-
1,4-NAPHTHOQUINONE 130-15-4	<0.1%	No data available	204-977-6	No data available	-	-	-	-

Note V - If the substance is to be placed on the market as fibers (with diameter < 3 µm, length > 5 µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fiber criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.

Note W - It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.

Note 10 - The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
ETHYLENE GLYCOL 107-21-1	4700	10600	3.75	No data available	No data available
CUMENE HYDROPEROXIDE 80-15-9	382	133.56	No data available	No data available	No data available
PROPYLENE GLYCOL 57-55-6	20000	20800	No data available	No data available	No data available
TITANIUM DIOXIDE 13463-67-7	2000	No data available	5.09	No data available	No data available
CUMENE 98-82-8	1400	10578	No data available	21.5355	No data available
2-BUTOXYETHANOL 111-76-2	1200 ⁺ 470	2000	No data available	3 ⁺ 2.1749 2.3489	No data available
1,4-NAPHTHOQUINONE 130-15-4	190	No data available	No data available	No data available	No data available

+ This value is the harmonized acute toxicity estimate (ATE) listed in CLP Annex VI, Part 3. This harmonized ATE value must be used when calculating the acute toxicity estimate (ATE_{mix}) for classifying a mixture containing the listed substance

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59).

Section 4: First aid measures

4.1. Description of first aid measures

General advice	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	May cause redness and tearing of the eyes. Burning sensation. Prolonged contact may cause redness and irritation.
Effects of Exposure	May cause cancer.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
--------------------	------------------------

Section 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Small Fire	In case of fire, use water spray, foam, dry chemical, or CO ₂ .
Large Fire	In case of fire, use water spray, foam, dry chemical, or CO ₂ .
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	No information available.
--	---------------------------

Hazardous combustion products No information available

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Avoid breathing vapors or mists. In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Packaging materials No information available.

Storage class (TRGS 510) Storage class 6.1C.

7.3. Specific end use(s)

Specific use(s)

Adhesive.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.**Other Information**

No information available.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
ETHYLENE GLYCOL 107-21-1	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk*	TWA: 10 ppm TWA: 26 mg/m ³ STEL 20 ppm STEL 52 mg/m ³ Sk*	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk*	TWA: 52 mg/m ³ TWA: 20 ppm STEL: 40 ppm STEL: 104 mg/m ³ Sk*	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk*
PROPYLENE GLYCOL 57-55-6	-	-	-	-	TWA: 150 ppm TWA: 474 mg/m ³ TWA: 10 mg/m ³
TITANIUM DIOXIDE 13463-67-7	-	TWA: 5 mg/m ³ STEL 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³ TWA: 1.0 mg/m ³	TWA: 10 mg/m ³ TWA: 4 mg/m ³
CUMENE 98-82-8	TWA: 50 mg/m ³ TWA: 10 ppm STEL: 250 mg/m ³ STEL: 50 ppm Sk*	TWA: 10 ppm TWA: 50 mg/m ³ STEL 50 ppm STEL 250 mg/m ³ Sk*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*
2-BUTOXYETHANOL 111-76-2	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*	TWA: 20 ppm TWA: 98 mg/m ³ STEL 40 ppm STEL 200 mg/m ³ Sk*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*
1,4-NAPHTHOQUINONE 130-15-4	-	-	-	TWA: 0.1 mg/m ³	-
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
ETHYLENE GLYCOL 107-21-1	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk*	TWA: 50 mg/m ³ Sk* Ceiling: 100 mg/m ³	TWA: 10 ppm TWA: 26 mg/m ³ TWA: 10 mg/m ³ STEL: 104 mg/m ³ STEL: 40 ppm STEL: 20 mg/m ³ Sk*	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk*	TWA: 20 ppm TWA: 50 mg/m ³ STEL: 40 ppm STEL: 100 mg/m ³ Sk*
TITANIUM DIOXIDE 13463-67-7	-	-	TWA: 6 mg/m ³ STEL: 12 mg/m ³	TWA: 5 mg/m ³	-
CUMENE 98-82-8	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*	TWA: 100 mg/m ³ Sk* Ceiling: 250 mg/m ³	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 250 mg/m ³ STEL: 50 ppm Sk*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*
2-BUTOXYETHANOL 111-76-2	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*	TWA: 100 mg/m ³ Sk* Ceiling: 200 mg/m ³	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 246 mg/m ³ STEL: 50 ppm Sk*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*

				S+	
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
ETHYLENE GLYCOL 107-21-1	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk*	TWA: 10 ppm TWA: 26 mg/m ³ Sk*	TWA: 10 ppm TWA: 26 mg/m ³ Peak: 20 ppm Peak: 52 mg/m ³ Sk*	TWA: 50 ppm TWA: 125 mg/m ³ STEL: 50 ppm STEL: 125 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk*
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³	TWA: 1.25 mg/m ³ TWA: 10 mg/m ³	TWA: 0.3 mg/m ³ Peak: 2.4 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	-
CUMENE 98-82-8	TWA: 10 ppm TWA: 50 mg/m ³ TWA: 150 mg/m ³ TWA: 1000 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ STEL: 1500 mg/m ³ Sk*	TWA: 10 ppm TWA: 50 mg/m ³ Sk*	TWA: 10 ppm TWA: 50 mg/m ³ Peak: 40 ppm Peak: 200 mg/m ³ Sk*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*	TWA: 50 mg/m ³ TWA: 10 ppm STEL: 250 mg/m ³ STEL: 50 ppm Sk*
2-BUTOXYETHANOL 111-76-2	TWA: 10 ppm TWA: 49 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*	TWA: 10 ppm TWA: 49 mg/m ³ Sk*	TWA: 10 ppm TWA: 49 mg/m ³ Peak: 20 ppm Peak: 98 mg/m ³ Sk*	TWA: 25 ppm TWA: 120 mg/m ³ Sk*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
ETHYLENE GLYCOL 107-21-1	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk*	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk*	TWA: 25 ppm STEL: 50 ppm STEL: 10 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk*	TWA: 10 ppm TWA: 25 mg/m ³ STEL: 20 ppm STEL: 50 mg/m ³ Sk*
CUMENE HYDROPEROXIDE 80-15-9	-	-	-	TWA: 1 mg/m ³	TWA: 1 mg/m ³ Sk*
PROPYLENE GLYCOL 57-55-6	TWA: 10 mg/m ³ TWA: 150 ppm TWA: 470 mg/m ³ STEL: 1410 mg/m ³ STEL: 30 mg/m ³ STEL: 450 ppm	-	-	TWA: 7 mg/m ³	TWA: 7 mg/m ³
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 5 mg/m ³
1-ACETYL-2-PHENYLHY DRAZINE 114-83-0	-	-	-	-	TWA: 0.013 mg/m ³ TWA: 0.01 ppm Sk* J+
CUMENE 98-82-8	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*	TWA: 100 ppm TWA: 20 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*	TWA: 50 ppm TWA: 246 mg/m ³	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*	TWA: 50 mg/m ³ TWA: 10 ppm STEL: 170 mg/m ³ STEL: 35 ppm Sk*
2-BUTOXYETHANOL 111-76-2	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*	TWA: 20 ppm TWA: 97 mg/m ³	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 20 ppm STEL: 100 mg/m ³ Sk*
1,4-NAPHTHOQUINONE 130-15-4	-	-	-	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ Sk*
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland

ETHYLENE GLYCOL 107-21-1	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk*	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk*	TWA: 52 mg/m ³ TWA: 10 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk*	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 104 mg/m ³ STEL: 40 ppm Sk*	TWA: 15 mg/m ³ STEL: 50 mg/m ³ Sk*
PROPYLENE GLYCOL 57-55-6	-	-	-	TWA: 25 ppm TWA: 79 mg/m ³ STEL: 37.5 ppm STEL: 118.5 mg/m ³	TWA: 100 mg/m ³
TITANIUM DIOXIDE 13463-67-7	-	-	-	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 30 mg/m ³
CUMENE 98-82-8	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*	TWA: 50 mg/m ³ TWA: 10 ppm STEL: 250 mg/m ³ STEL: 50 ppm Sk*	TWA: 50 mg/m ³ STEL: 250 mg/m ³ Sk*
2-BUTOXYETHANOL 111-76-2	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*	TWA: 20.4 ppm TWA: 100 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 20 ppm STEL: 75 mg/m ³ Sk*	TWA: 98 mg/m ³ STEL: 200 mg/m ³ Sk*
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
ETHYLENE GLYCOL 107-21-1	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk* Ceiling: 100 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk*	TWA: 20 ppm TWA: 52 mg/m ³ Sk* Ceiling: 104 mg/m ³	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk*	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ Sk*
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 15 mg/m ³	TWA: 5 mg/m ³	-	TWA: 10 mg/m ³
CUMENE 98-82-8	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*	TWA: 10 ppm TWA: 50 mg/m ³ Sk* Ceiling: 250 mg/m ³	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*	TWA: 10 ppm TWA: 50 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*
2-BUTOXYETHANOL 111-76-2	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*	TWA: 20 ppm TWA: 98 mg/m ³ Sk* Ceiling: 246 mg/m ³	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*	TWA: 20 ppm TWA: 98 mg/m ³ STEL: 50 ppm STEL: 245 mg/m ³ Sk*
Chemical name	Sweden		Switzerland		United Kingdom
ETHYLENE GLYCOL 107-21-1	NGV: 10 ppm NGV: 25 mg/m ³ Bindande KGV: 40 ppm Bindande KGV: 104 mg/m ³ Sk*		TWA: 10 ppm TWA: 26 mg/m ³ STEL: 20 ppm STEL: 52 mg/m ³ Sk*		TWA: 10 mg/m ³ TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³ STEL: 30 mg/m ³ Sk*
PROPYLENE GLYCOL 57-55-6	-		-		TWA: 150 ppm TWA: 474 mg/m ³ TWA: 10 mg/m ³ STEL: 450 ppm STEL: 1422 mg/m ³ STEL: 30 mg/m ³
TITANIUM DIOXIDE 13463-67-7	NGV: 5 mg/m ³		TWA: 3 mg/m ³ TWA: 10 mg/m ³		TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³

CUMENE 98-82-8	NGV: 10 ppm NGV: 50 mg/m ³ Bindande KGV: 50 ppm Bindande KGV: 250 mg/m ³ Sk*	TWA: 20 ppm TWA: 100 mg/m ³ STEL: 80 ppm STEL: 400 mg/m ³ Sk*	TWA: 25 ppm TWA: 125 mg/m ³ STEL: 50 ppm STEL: 250 mg/m ³ Sk*
2-BUTOXYETHANOL 111-76-2	NGV: 10 ppm NGV: 50 mg/m ³ Bindande KGV: 50 ppm Bindande KGV: 246 mg/m ³ Sk*	TWA: 10 ppm TWA: 49 mg/m ³ STEL: 20 ppm STEL: 98 mg/m ³ Sk*	TWA: 25 ppm TWA: 123 mg/m ³ STEL: 50 ppm STEL: 246 mg/m ³ Sk*

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
CUMENE 98-82-8	-	-	7 mg/g Creatinine - urine (2-Phenol-2 propanol) - up to two hours after the end of work shift	-	-
2-BUTOXYETHANOL 111-76-2	-	-	-	-	200 mg/g Creatinine (urine - Butoxyacetic acid end of shift at end of workweek) 0.17 mmol/mmol Creatinine (urine - Butoxyacetic acid end of shift at end of workweek)
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
CUMENE 98-82-8	-	-	-	10 mg/g Creatinine (urine - 2-Phenyl-2-propanol (after hydrolysis) end of shift) 10 mg/g Creatinine - BAT (end of exposure or end of shift) urine	10 mg/g Creatinine (urine - 2-Phenyl-2-propanol (after hydrolysis) end of shift)
2-BUTOXYETHANOL 111-76-2	-	-	-	150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) for long-term exposures: at the end of the shift after several shifts) 150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) end of shift) 150 mg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) urine	150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) for long-term exposures: at the end of the shift after several shifts) 150 mg/g Creatinine (urine - Butoxyacetic acid (after hydrolysis) end of shift)
Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII	

2-BUTOXYETHANOL 111-76-2	-	200 mg/g Creatinine (urine - end of shift)	-	200 mg/g Creatinine - urine (Butoxyacetic acid (with hydrolysis)) - end of shift
Chemical name	Latvia	Luxembourg	Romania	Slovakia
CUMENE 98-82-8	-	-	-	10.6 mg/L (urine - 2-Phenylpropane end of exposure or work shift)
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
CUMENE 98-82-8	10 mg/g Creatinine - urine (2-Phenyl-2-propanol (after hydrolysis)) - at the end of the work shift	7 mg/g Creatinine (urine - 2-Phenyl-2-propanol end of shift)	20 mg/g creatinine (urine - 2-Phenyl-2-propanol after hydrolysis end of shift) 16.6 µmol/mmol creatinine (urine - 2-Phenyl-2-propanol after hydrolysis end of shift)	-
2-BUTOXYETHANOL 111-76-2	150 mg/g Creatinine - urine (Butoxyacetic acid (after hydrolysis)) - at the end of the work shift; for long-term exposure: at the end of the work shift after several consecutive workdays	200 mg/g Creatinine (urine - Butoxyacetic acid (with hydrolysis) end of shift)	150 mg/g creatinine (urine - 2-Butoxyacetic acid (after hydrolysis) end of shift, and after several shifts (for long-term exposures))	240 mmol/mol creatinine - urine (Butoxyacetic acid) - post shift

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
ETHYLENE GLYCOL 107-21-1	-	106 mg/kg bw/day [4] [6]	35 mg/m ³ [5] [6]
CUMENE HYDROPEROXIDE 80-15-9	-	-	6 mg/m ³ [4] [6]
SACCHARIN 81-07-2	-	18.75 mg/kg bw/day [4] [6]	131.3 mg/m ³ [4] [6]
PROPYLENE GLYCOL 57-55-6	-	-	168 mg/m ³ [4] [6] 10 mg/m ³ [5] [6]
CUMENE 98-82-8	-	15.4 mg/kg bw/day [4] [6]	100 mg/m ³ [4] [6] 250 mg/m ³ [5] [7]
1,4-NAPHTHOQUINONE 130-15-4	-	-	0.0329 mg/m ³ [4] [6]
2-BUTOXYETHANOL 111-76-2	-	125 mg/kg bw/day [4] [6] 89 mg/kg bw/day [4] [7]	98 mg/m ³ [4] [6] 1091 mg/m ³ [4] [7] 246 mg/m ³ [5] [7]

Notes

- [4] Systemic health effects.
 [5] Local health effects.
 [6] Long term.
 [7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
---------------	------	--------	------------

Chemical name	Oral	Dermal	Inhalation
ETHYLENE GLYCOL 107-21-1	-	-	7 mg/m ³ [5] [6]
SACCHARIN 81-07-2	12.5 mg/kg bw/day [4] [6]	-	50 mg/m ³ [4] [6]
PROPYLENE GLYCOL 57-55-6	-	-	50 mg/m ³ [4] [6] 10 mg/m ³ [5] [6]
CUMENE 98-82-8	5 mg/kg bw/day [4] [6]	-	16.6 mg/m ³ [4] [6]
2-BUTOXYETHANOL 111-76-2	6.3 mg/kg bw/day [4] [6] 26.7 mg/kg bw/day [4] [7]	89 mg/kg bw/day [4] [6] 89 mg/kg bw/day [4] [7]	59 mg/m ³ [4] [6] 426 mg/m ³ [4] [7] 147 mg/m ³ [5] [7]

Notes

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
ETHYLENE GLYCOL 107-21-1	10 mg/L	10 mg/L	1 mg/L	10 mg/L	-
CUMENE HYDROPEROXIDE 80-15-9	0.0031 mg/L	0.031 mg/L	0.00031 mg/L	-	-
SACCHARIN 81-07-2	5 mg/L	50 mg/L	0.5 mg/L	-	-
PROPYLENE GLYCOL 57-55-6	260 mg/L	183 mg/L	26 mg/L	-	-
CUMENE 98-82-8	0.035 mg/L	0.012 mg/L	0.0035 mg/L	-	-
1,4-NAPHTHOQUINONE 130-15-4	26.1 ng/L	261 ng/L	2.61 ng/L	26.1 ng/L	-
2-BUTOXYETHANOL 111-76-2	8.8 mg/L	26.4 mg/L	0.88 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
ETHYLENE GLYCOL 107-21-1	37 mg/kg sediment dw	3.7 mg/kg sediment dw	199.5 mg/L	1.53 mg/kg soil dw	-
CUMENE HYDROPEROXIDE 80-15-9	0.023 mg/kg sediment dw	0.0023 mg/kg sediment dw	0.35 mg/L	0.0029 mg/kg soil dw	-
SACCHARIN 81-07-2	104.403 mg/kg sediment dw	104.403 mg/kg sediment dw	50 mg/L	29.024034 mg/kg soil dw	-
PROPYLENE GLYCOL 57-55-6	572 mg/kg sediment dw	57.2 mg/kg sediment dw	20000 mg/L	50 mg/kg soil dw	-
CUMENE 98-82-8	3.22 mg/kg sediment dw	0.322 mg/kg sediment dw	200 mg/L	0.624 mg/kg soil dw	-
1,4-NAPHTHOQUINONE	321 ng/kg sediment	32.1 ng/kg sediment	0.172 mg/L	49 ng/kg soil dw	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
130-15-4	dw	dw			
2-BUTOXYETHANOL 111-76-2	34.6 mg/kg sediment dw	3.46 mg/kg sediment dw	463 mg/L	2.33 mg/kg soil dw	0.02 g/kg food

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protection Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Thermal hazards No information available.

Other protective equipment No information available.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid
Color Blue
Odor No information available
Odor threshold No information available

Property	Values
Melting point / freezing point	No data available

Flammability Limit in Air	
Upper flammability limit:	No data available
Lower flammability limit:	No data available
Flash point	131 °C
Autoignition temperature	No data available

pH	No data available
pH (as aqueous solution)	No data available
Kinematic viscosity	No Data Available

None known

Remarks • Method

Boiling point / boiling range > 200 °C

Flammability (solid, gas) No data available
None known

Decomposition temperature

None known

Dynamic viscosity 1,100 mPas @20°C (68°F)

Water solubility No data available
Immiscible in water

Solubility(ies) No Data Available
Partition coefficient No Data Available

None known

Vapor pressure	No Data Available
Relative density	1.01
Bulk density	No data available
Density	No data available
Vapor density	No data available
Particle characteristics	
Particle Size	No information available
Particle Size Distribution	No information available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

Remarks No Data Available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization No information available.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous Decomposition Products None known based on information supplied.

Section 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. Prolonged contact may cause redness and irritation. Causes mild skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	May cause redness and tearing of the eyes. Prolonged contact may cause redness and irritation.
-----------------	--

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity	Based on available data, the classification criteria are not met.
-----------------------	---

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral) 9,707.80 mg/kg
ATEmix (dermal) 48,152.00 mg/kg
ATEmix (inhalation-gas) 99,999.00 ppm
ATEmix (inhalation-vapor) 99,999.00 mg/l
ATEmix (inhalation-dust/mist) 21.20 mg/l

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
4.525 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
4.525 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
ETHYLENE GLYCOL	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat)	> 2.5 mg/L (Rat) 6 h
CUMENE HYDROPEROXIDE	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat) 4 h
PROPYLENE GLYCOL	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-
TITANIUM DIOXIDE	> 2000 mg/kg (Rat)	-	> 5.09 mg/L (Rat) 4 h
CUMENE	= 1400 mg/kg (Rat)	= 12300 µL/kg (Rabbit)	> 3577 ppm (Rat) 6 h
2-BUTOXYETHANOL	= 470 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h = 486 ppm (Rat) 4 h
1,4-NAPHTHOQUINONE	= 190 mg/kg (Rat)	-	-

Skin corrosion/irritation	Classification based on data available for ingredients. Causes mild skin irritation.
----------------------------------	--

Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
--	--

Respiratory or skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
TITANIUM DIOXIDE	Carc. 2
CUMENE	Carc. 1B

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicity Contains 93.234 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
ETHYLENE GLYCOL	EC50: 6500 - 13000mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =41000mg/L (96h, Oncorhynchus mykiss) LC50: 14 - 18mL/L (96h, Oncorhynchus mykiss) LC50: =27540mg/L	-	EC50: =46300mg/L (48h, Daphnia magna)

		(96h, <i>Lepomis macrochirus</i>) LC50: =40761mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: 40000 - 60000mg/L (96h, <i>Pimephales promelas</i>) LC50: =16000mg/L (96h, <i>Poecilia reticulata</i>)		
CUMENE HYDROPEROXIDE	-	LC50: =3.9mg/L (96h, <i>Oncorhynchus mykiss</i>)	-	-
PROPYLENE GLYCOL	EC50: =19000mg/L (96h, <i>Pseudokirchneriella subcapitata</i>)	LC50: =51600mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: 41 - 47mL/L (96h, <i>Oncorhynchus mykiss</i>) LC50: =51400mg/L (96h, <i>Pimephales promelas</i>) LC50: =710mg/L (96h, <i>Pimephales promelas</i>)	-	EC50: >1000mg/L (48h, <i>Daphnia magna</i>)
CUMENE	EC50: =2.6mg/L (72h, <i>Pseudokirchneriella subcapitata</i>)	LC50: 6.04 - 6.61mg/L (96h, <i>Pimephales promelas</i>) LC50: =4.8mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: =2.7mg/L (96h, <i>Oncorhynchus mykiss</i>) LC50: =5.1mg/L (96h, <i>Poecilia reticulata</i>)	-	EC50: =0.6mg/L (48h, <i>Daphnia magna</i>) EC50: 7.9 - 14.1mg/L (48h, <i>Daphnia magna</i>)
2-BUTOXYETHANOL	-	LC50: =1490mg/L (96h, <i>Lepomis macrochirus</i>) LC50: =2950mg/L (96h, <i>Lepomis macrochirus</i>)	-	EC50: >1000mg/L (48h, <i>Daphnia magna</i>)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Chemical name	Partition coefficient
ETHYLENE GLYCOL	-1.36
CUMENE HYDROPEROXIDE	1.6
PROPYLENE GLYCOL	-1.07
CUMENE	3.55
2-BUTOXYETHANOL	0.81
1,4-NAPHTHOQUINONE	1.78

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
ETHYLENE GLYCOL	The substance is not PBT / vPvB
CUMENE HYDROPEROXIDE	The substance is not PBT / vPvB
PROPYLENE GLYCOL	The substance is not PBT / vPvB
TITANIUM DIOXIDE	The substance is not PBT / vPvB
CUMENE	The substance is not PBT / vPvB
2-BUTOXYETHANOL	The substance is not PBT / vPvB
1,4-NAPHTHOQUINONE	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects

Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

Section 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

Other information No information available.

Section 14: Transport information

IATA

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk	No information available

according to IMO instruments

RID

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADN

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special precautions for user	
Special Provisions	None

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
ETHYLENE GLYCOL - 107-21-1	RG 84
PROPYLENE GLYCOL - 57-55-6	RG 84
CUMENE - 98-82-8	RG 84
2-BUTOXYETHANOL - 111-76-2	RG 84

Germany

Water hazard class (WGK) strongly hazardous to water (WGK 3)

Netherlands

Carcinogenic, mutagenic and reproductive toxic effects

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
CUMENE	Present	-	-

Switzerland

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Group I

Storage of Hazardous Material
WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20

SC 10/12
Class B

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
CUMENE HYDROPEROXIDE - 80-15-9	75	-
TITANIUM DIOXIDE - 13463-67-7	75	-
CUMENE - 98-82-8	28 75	-
2-BUTOXYETHANOL - 111-76-2	75	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable

International Inventories

TSCA	Complies
DSL/NDL	Complies
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Complies
KECI	Complies
PICCS	Complies
AICS	Complies
NZIoC	Complies
TCSI	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing Chemicals Inventory
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals
TCSI - Taiwan Chemical Substance Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H226 - Flammable liquid and vapor
H242 - Heating may cause a fire
H302 - Harmful if swallowed
H304 - May be fatal if swallowed and enters airways
H312 - Harmful in contact with skin
H314 - Causes severe skin burns and eye damage
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H331 - Toxic if inhaled
H335 - May cause respiratory irritation
H350 - May cause cancer
H351i - Suspected of causing cancer if inhaled
H373 - May cause damage to organs through prolonged or repeated exposure
H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances
STOT: Specific Target Organ Toxicity
ATE: Acute Toxicity Estimate
LC50: 50% Lethal Concentration
LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitizers		

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGl(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision Date 10-Jan-2025

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet