



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1272/2008 and Regulation (EC) No. 1907/2006 as amended by
Regulation (EU) No. 2020/878

Revision Date 09-Sep-2024

Version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code 31163
Product Name COPPER ANTI-SEIZE LUBRICANT 16 OZ.

Other means of identification

Unique Formula Identifier (UFI) P00J-H0E5-J00C-14VP
Mixture. Contains DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Lubricant
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer ITW Permatex, Inc. 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502	Only Representative (OR) ITW Permatex, Inc. Bay 150 Shannon Industrial Estate Co. Clare Ireland V14 DF82 353(61)771500 353(61)471285 customerservice.shannon@itwpp.com
---	--

For further information, please contact

Contact Point ITW Permatex, Inc.
6875 Parkland Blvd.
Solon, Ohio 44139 USA
Telephone: 1-87-Permatex
(866) 732-9502

E-mail address: mail@permatex.com

Non-Emergency Telephone Number 866-732-9502

1.4. Emergency telephone number

24-hour emergency phone number EU Member States information as follows:

24-hour emergency phone number - §45 - (EC)1272/2008	
Europe	112
Austria	01 406 43 43

Belgium	070 245 245
Bulgaria	+359 2 9154 233
Croatia	+3851 2348 342
Cyprus	1401
Czech Republic	+420 224 919 293/ +420 224 915 402
Denmark	+ 45 8212 1212
Estonia	16662/ (+372) 7943 794
Finland	0800 147 111/ 09 471 977
France	+33 (0)1 45 42 59 59
Germany	+49 228 192 40
Greece	(003) 2107793777
Hungary	+36 80 201 199
Iceland	543 2222
Ireland	01 809 2166
Italy	0382-24444
Latvia	+371 67042473
Liechtenstein	01 406 43 43
Lithuania	+370 (85) 2362052
Luxembourg	(+352) 8002 5500
Malta	112
Netherlands	+31 (0)88 755 8000
Norway	22 59 13 00
Poland	112
Portugal	+351 800 250 250
Romania	+40213183606
Slovakia	+421 2 5477 4166
Slovenia	112
Spain	+34 91 562 04 20
Sweden	112
Switzerland	145
United Kingdom	111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Carcinogenicity	Category 1B - (H350)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)

2.2. Label elements

Contains DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC



Signal word

Danger

Hazard statements

H350 - May cause cancer.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P308 + P313 - IF exposed or concerned: Get medical advice/attention.

P391 - Collect spillage.

P501 - Dispose of contents/ container to an approved waste disposal plant.

84.75 % of the mixture consists of ingredient(s) of unknown acute toxicity.

27.25 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

27.25 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

84.75 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

84.75 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

82.25 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

Other hazards No information available.

PBT & vPvB The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC 64742-54-7	50 - <100	No data available	265-157-1 (649-467-00-8)	Carc. 1B (H350) Note L	-	-	-	L
MAGNESIUM SILICATE 14807-96-6	10 - <25	No data available	238-877-9	No data available	-	-	-	-
LIMESTONE 1317-65-3	10 - <25	No data available	215-279-6	No data available	-	-	-	-
COPPER 7440-50-8	5 - <10	No data available	231-159-6 (029-024-00-X)	Eye Irrit. 2 (H319) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-	-	-	-
GRAPHITE 7782-42-5	2.5 - <5	No data available	231-955-3	No data available	-	-	-	-

AMORPHOUS SILICA 7631-86-9	2.5 - <5	Monomers Registered	231-545-4	No data available	-	-	-	-
-------------------------------	----------	---------------------	-----------	-------------------	---	---	---	---

Note L - The harmonized classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ('Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method' Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC 64742-54-7	15000	5000	No data available	No data available	No data available
AMORPHOUS SILICA 7631-86-9	7900	5000	5.01	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59).

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	No information available.
Effects of Exposure	May cause cancer.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire In case of fire, use water spray, foam, dry chemical, or CO₂.
Large Fire In case of fire, use water spray, foam, dry chemical, or CO₂.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical No information available.

Hazardous combustion products No information available

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510) Storage class 6.1C.

7.3. Specific end use(s)

Specific use(s)
Lubricant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
MAGNESIUM SILICATE 14807-96-6	-	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 1.0 fiber/cm ³ TWA: 6.0 mg/m ³ TWA: 3.0 mg/m ³	TWA: 1 mg/m ³
LIMESTONE 1317-65-3	-	-	TWA: 10 mg/m ³	TWA: 1.0 fiber/cm ³ TWA: 10 mg/m ³	-
COPPER 7440-50-8	-	TWA: 1 mg/m ³ TWA: 0.1 mg/m ³ STEL 4 mg/m ³ STEL 0.4 mg/m ³	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ STEL: 2 mg/m ³
GRAPHITE 7782-42-5	-	TWA: 5 mg/m ³ STEL 10 mg/m ³	TWA: 2 mg/m ³	TWA: 5.0 mg/m ³	TWA: 4 mg/m ³ TWA: 10 mg/m ³
AMORPHOUS SILICA 7631-86-9	-	TWA: 4 mg/m ³	-	-	-
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
MAGNESIUM SILICATE 14807-96-6	-	TWA: 2.0 mg/m ³	TWA: 0.003 fiber/cm ³ STEL: 0.006 fiber/cm ³ with asbestos in the form of fibers	-	TWA: 0.5 fiber/cm ³ TWA: 2 mg/m ³ TWA: 1 mg/m ³
LIMESTONE 1317-65-3	-	TWA: 10.0 mg/m ³	-	TWA: 10 mg/m ³ TWA: 5 mg/m ³	-
COPPER 7440-50-8	-	TWA: 1 mg/m ³ TWA: 0.1 mg/m ³ Ceiling: 2 mg/m ³ Ceiling: 0.2 mg/m ³	TWA: 1.0 mg/m ³ TWA: 0.1 mg/m ³ STEL: 2 mg/m ³ STEL: 0.2 mg/m ³	TWA: 1 mg/m ³ TWA: 0.2 mg/m ³	TWA: 0.02 mg/m ³
GRAPHITE 7782-42-5	-	TWA: 2.0 mg/m ³	TWA: 2.5 mg/m ³ STEL: 5 mg/m ³ natural	TWA: 5 mg/m ³	TWA: 2 mg/m ³
AMORPHOUS SILICA 7631-86-9	-	TWA: 0.1 mg/m ³ TWA: 4.0 mg/m ³	-	TWA: 2 mg/m ³	TWA: 5 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
MAGNESIUM SILICATE 14807-96-6	-	TWA: 1.25 mg/m ³ TWA: 10 mg/m ³	-	TWA: 10 mg/m ³ TWA: 2 mg/m ³	TWA: 2 mg/m ³

LIMESTONE 1317-65-3	-	-	-	TWA: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 10 mg/m ³
COPPER 7440-50-8	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ STEL: 2 mg/m ³	-	TWA: 0.01 mg/m ³ Peak: 0.02 mg/m ³	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ STEL: 2 mg/m ³	TWA: 0.1 mg/m ³ TWA: 0.01 mg/m ³ STEL: 0.2 mg/m ³
GRAPHITE 7782-42-5	TWA: 2 mg/m ³	TWA: 1.25 mg/m ³ TWA: 10 mg/m ³	TWA: 0.3 mg/m ³ TWA: 4 mg/m ³ Peak: 2.4 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 5 mg/m ³ TWA: 2 mg/m ³
AMORPHOUS SILICA 7631-86-9	-	TWA: 4 mg/m ³	TWA: 0.02 mg/m ³ Peak: 0.16 mg/m ³	-	-
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
MAGNESIUM SILICATE 14807-96-6	TWA: 10 mg/m ³ TWA: 0.8 mg/m ³ STEL: 30 mg/m ³ STEL: 2.4 mg/m ³	-	TWA: 2 mg/m ³	-	TWA: 2 mg/m ³ TWA: 1 mg/m ³
LIMESTONE 1317-65-3	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³	-	-	-	-
COPPER 7440-50-8	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ STEL: 2 mg/m ³ STEL: 0.6 mg/m ³	-	TWA: 0.2 mg/m ³	TWA: 0.5 mg/m ³ STEL: 1 mg/m ³	TWA: 1 mg/m ³ TWA: 0.2 mg/m ³
GRAPHITE 7782-42-5	TWA: 2 mg/m ³ STEL: 6 mg/m ³	-	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 5 mg/m ³
AMORPHOUS SILICA 7631-86-9	TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ STEL: 18 mg/m ³ STEL: 7.2 mg/m ³	-	-	TWA: 1 mg/m ³	-
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
MAGNESIUM SILICATE 14807-96-6	-	-	TWA: 0.25 mg/m ³	TWA: 6 mg/m ³ TWA: 2 mg/m ³ STEL: 12 mg/m ³ STEL: 4 mg/m ³	TWA: 4 mg/m ³ TWA: 1 mg/m ³
COPPER 7440-50-8	-	-	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ TWA: 1 mg/m ³ STEL: 3 mg/m ³ STEL: 0.3 mg/m ³	TWA: 0.2 mg/m ³
GRAPHITE 7782-42-5	-	-	-	TWA: 5 mg/m ³ TWA: 2 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 10 mg/m ³ STEL: 4 mg/m ³ STEL: 20 mg/m ³ STEL: 8 mg/m ³	TWA: 4.0 mg/m ³ TWA: 1.0 mg/m ³ TWA: 6 mg/m ³
AMORPHOUS SILICA 7631-86-9	-	-	-	TWA: 1.5 mg/m ³ STEL: 3 mg/m ³	-
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
MAGNESIUM SILICATE 14807-96-6	TWA: 2 mg/m ³	TWA: 2 mg/m ³	Ceiling: 10 mg/m ³	-	TWA: 2 mg/m ³
LIMESTONE 1317-65-3	-	TWA: 10 mg/m ³	-	-	-
COPPER 7440-50-8	TWA: 0.2 mg/m ³ TWA: 1 mg/m ³	TWA: 0.5 mg/m ³ STEL: 0.2 mg/m ³ STEL: 1.5 mg/m ³	TWA: 1 mg/m ³ TWA: 0.2 mg/m ³	-	TWA: 0.01 mg/m ³
GRAPHITE 7782-42-5	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 10 mg/m ³ TWA: 2 mg/m ³ Ceiling: 10 mg/m ³	-	TWA: 2 mg/m ³

AMORPHOUS SILICA 7631-86-9	-	-	Ceiling: 0,3 mg/m ³	TWA: 4 mg/m ³	-
Chemical name	Sweden	Switzerland	United Kingdom		
MAGNESIUM SILICATE 14807-96-6	NGV: 2 mg/m ³ NGV: 1 mg/m ³	TWA: 3 mg/m ³ TWA: 10 mg/m ³	TWA: 1 mg/m ³ TWA: 4 mg/m ³ STEL: 3 mg/m ³		
LIMESTONE 1317-65-3	-	-	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³		
COPPER 7440-50-8	NGV: 0.01 mg/m ³	TWA: 0.1 mg/m ³ STEL: 0.2 mg/m ³	TWA: 1 mg/m ³ TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³ STEL: 2 mg/m ³		
GRAPHITE 7782-42-5	-	TWA: 3 mg/m ³ TWA: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³		
AMORPHOUS SILICA 7631-86-9	-	TWA: 4 mg/m ³	TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ STEL: 18 mg/m ³ STEL: 7.2 mg/m ³		

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC 64742-54-7	-	0.97 mg/kg bw/day [4] [6]	2.73 mg/m ³ [4] [6] 5.58 mg/m ³ [5] [6]
MAGNESIUM SILICATE 14807-96-6	-	43.2 mg/kg bw/day [4] [6] 4.54 mg/cm ² [5] [6]	2.16 mg/m ³ [4] [6] 2.16 mg/m ³ [4] [7] 3.6 mg/m ³ [5] [6] 3.6 mg/m ³ [5] [7]
COPPER 7440-50-8	-	137 mg/kg bw/day [4] [6] 273 mg/kg bw/day [4] [7]	-
GRAPHITE 7782-42-5	-	-	1.2 mg/m ³ [4] [6] 1.2 mg/m ³ [5] [6]
POLYPROPYLENE GLYCOL MONOBUTYL ETHER 9003-13-8	-	0.83 mg/kg bw/day [4] [6]	2.9 mg/m ³ [4] [6]

Notes

- [4] Systemic health effects.
 [5] Local health effects.
 [6] Long term.
 [7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	0.74 mg/kg bw/day [4] [6]	-	1.19 mg/m ³ [5] [6]

Chemical name	Oral	Dermal	Inhalation
64742-54-7			
MAGNESIUM SILICATE 14807-96-6	160 mg/kg bw/day [4] [6] 160 mg/kg bw/day [4] [7]	2.27 mg/cm ² [5] [6]	1.08 mg/m ³ [4] [6] 1.08 mg/m ³ [4] [7] 1.8 mg/m ³ [5] [6] 1.8 mg/m ³ [5] [7]
COPPER 7440-50-8	0.041 mg/kg bw/day [4] [6]	273 mg/kg bw/day [4] [6] 273 mg/kg bw/day [4] [7]	1 mg/m ³ [5] [6] 1 mg/m ³ [5] [7]
GRAPHITE 7782-42-5	813 mg/kg bw/day [4] [6]	-	0.3 mg/m ³ [5] [6]
POLYPROPYLENE GLYCOL MONOBUTYL ETHER 9003-13-8	0.42 mg/kg bw/day [4] [6] 2.5 mg/kg bw/day [4] [7]	-	-

Notes

[4]	Systemic health effects.
[5]	Local health effects.
[6]	Long term.
[7]	Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
MAGNESIUM SILICATE 14807-96-6	597.97 mg/L	597.97 mg/L	141.26 mg/L	141.26 mg/L	10 mg/m ³
COPPER 7440-50-8	7.8 µg/L	-	5.2 µg/L	-	-
POLYPROPYLENE GLYCOL MONOBUTYL ETHER 9003-13-8	0.333 mg/L	3.33 mg/L	0.0333 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC 64742-54-7	-	-	-	-	9.33 mg/kg food
MAGNESIUM SILICATE 14807-96-6	31.33 mg/kg sediment dw	3.13 mg/kg sediment dw	-	-	-
COPPER 7440-50-8	87 mg/kg sediment dw	676 mg/kg sediment dw	230 µg/L	65 mg/kg soil dw	-
POLYPROPYLENE GLYCOL MONOBUTYL ETHER 9003-13-8	5.02 mg/kg sediment dw	0.502 mg/kg sediment dw	100 mg/L	0.809 mg/kg soil dw	-

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection	Appropriate eye/face protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction.
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Thermal hazards	No information available.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	Paste / Gel Liquid	
Appearance	Paste	
Color	Copper	
Odor	Petroleum.	
Odor threshold	No information available	
Property	Values	Remarks • Method
Melting point / freezing point	No data available	Estimated
Boiling point / boiling range	No data available	Polymerization
Flammability (solid, gas)	No data available	Flammable in the presence of the following materials or conditions: open flames, sparks and static discharge.
Flammability Limit in Air		None known
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Flash point	216 °C	
Autoignition temperature	No data available	Estimated
Decomposition temperature		Remarks: Self-Accelerating decomposition temperature (SADT): 50 °C SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
pH	No data available	10% in deionized water
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No Data Available	Kinematic viscosity at 100 degrees C
Dynamic viscosity	No data available	Remarks: Self-Accelerating decomposition temperature (SADT): 50 °C SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Water solubility	No data available	Insoluble in water
	None known	
Solubility(ies)	No Data Available	None known
Partition coefficient	No Data Available	None known
Vapor pressure	No Data Available	mmHg
Relative density	1.21	

Bulk density	자료 없음	
Density	No data available	
Vapor density	No data available	Air = 1
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

VOC content 0

9.2.1. Information with regard to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available Butyl acetate = 1

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization No information available.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous Decomposition Products None known based on information supplied.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Information on likely routes of exposure**

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral) 18,264.60 mg/kg
 ATEmix (dermal) 6,326.10 mg/kg
 ATEmix (inhalation-gas) 99,999.00 ppm
 ATEmix (inhalation-vapor) 99,999.00 mg/l
 ATEmix (inhalation-dust/mist) 35.60 mg/l

27.25 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
 27.25 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
 84.75 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
 84.75 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
 82.25 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
COPPER	-	-	> 5.11 mg/L (Rat) 4 h
GRAPHITE	-	-	> 2000 mg/m ³ (Rat) 4 h
AMORPHOUS SILICA	= 7900 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 5.01 mg/L (Rat) 4 h

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	Carc. 1B

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
MAGNESIUM SILICATE	-	LC50: >100g/L (96h, Brachydanio rerio)	-	-
COPPER	EC50: 0.0426 - 0.0535mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.031 - 0.054mg/L (96h, Pseudokirchneriella subcapitata)	LC50: 0.0068 - 0.0156mg/L (96h, Pimephales promelas) LC50: <0.3mg/L (96h, Pimephales promelas) LC50: =0.2mg/L (96h, Pimephales promelas) LC50: =0.052mg/L (96h, Oncorhynchus mykiss) LC50: =1.25mg/L (96h, Lepomis macrochirus) LC50: =0.3mg/L (96h, Cyprinus carpio) LC50: =0.8mg/L (96h, Cyprinus carpio) LC50: =0.112mg/L (96h, Poecilia reticulata)	-	EC50: =0.03mg/L (48h, Daphnia magna)
GRAPHITE	-	LC50: >100mg/L (96h, Danio rerio)	-	-
AMORPHOUS SILICA	EC50: =440mg/L (72h, Pseudokirchneriella)	LC50: =5000mg/L (96h, Brachydanio rerio)	-	EC50: =7600mg/L (48h, Ceriodaphnia dubia)

	subcapitata)			
--	--------------	--	--	--

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	The substance is not PBT / vPvB
MAGNESIUM SILICATE	The substance is not PBT / vPvB
COPPER	The substance is not PBT / vPvB
GRAPHITE	The substance is not PBT / vPvB
AMORPHOUS SILICA	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects

Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information**IATA**

14.1 UN number or ID number UN3077
14.2 UN proper shipping name Environmentally hazardous substance, solid, n.o.s. (copper) Marine Pollutant
14.3 Transport hazard class(es) 9
14.4 Packing group III

14.5 Environmental hazards Not applicable

14.6 Special precautions for user
Special Provisions

None

IMDG

14.1 UN number or ID number

UN3077

14.2 UN proper shipping name

Environmentally hazardous substance, solid, n.o.s. (copper) Marine Pollutant

14.3 Transport hazard class(es)

9

14.4 Packing group

III

14.5 Environmental hazards

Not applicable

14.6 Special precautions for user
Special Provisions

None

14.7 Maritime transport in bulk
according to IMO instruments

No information available

RID

14.1 UN number or ID number

UN3077

14.2 UN proper shipping name

Environmentally hazardous substance, solid, n.o.s. (copper) Marine Pollutant

14.3 Transport hazard class(es)

9

14.4 Packing group

III

14.5 Environmental hazards

Not applicable

14.6 Special precautions for user
Special Provisions

None

ADR

14.1 UN number or ID number

UN3077

14.2 UN proper shipping name

Environmentally hazardous substance, solid, n.o.s. (copper) Marine Pollutant

14.3 Transport hazard class(es)

9

14.4 Packing group

III

14.5 Environmental hazards

Not applicable

14.6 Special precautions for user
Special Provisions

None

Classification code

M6

ADN

14.1 UN number or ID number

Not regulated

14.2 UN proper shipping name

Not regulated

14.3 Transport hazard class(es)

Not regulated

14.4 Packing group

Not regulated

14.5 Environmental hazard

Not applicable

14.6 Special precautions for user
Special Provisions

None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
MAGNESIUM SILICATE - 14807-96-6	RG 25
GRAPHITE - 7782-42-5	RG 16
	RG 25
AMORPHOUS SILICA - 7631-86-9	RG 25

Germany

Water hazard class (WGK)

strongly hazardous to water (WGK 3)

TA Luft (German Air Pollution Control Regulation)

Chemical name	Number	Class
COPPER	5.2.2	Class III

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Not applicable
Storage of Hazardous Material SC 10/12
WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20 Not applicable

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
DISTILLATES (PETROLEUM), HYDROTREATED	28	-
HEAVY PARAFFINIC - 64742-54-7	75	-
COPPER - 7440-50-8	75	-

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
MAGNESIUM SILICATE - 14807-96-6	Plant protection agent
AMORPHOUS SILICA - 7631-86-9	Plant protection agent

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
COPPER - 7440-50-8	Product-type 8: Wood preservatives Product-type 21: Antifouling products

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies
KECI	Complies
PICCS	Complies
AICS	Complies
NZIoC	Complies

TCSI Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing Chemicals Inventory
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals
TCSI - Taiwan Chemical Substance Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H319 - Causes serious eye irritation
H350 - May cause cancer
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances
STOT: Specific Target Organ Toxicity
ATE: Acute Toxicity Estimate
LC50: 50% Lethal Concentration
LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
Ceiling Maximum limit value * Skin designation
+ Sensitizers

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method

STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGl(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Revision Date

09-Sep-2024

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet