

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

Revision Date 23-Jan-2025 Version 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Code PX82180

Product Name ULTRA BLACK RTV SILICONE GASKET MAKER, 3 OZ

Other means of identification

Unique Formula Identifier (UFI) KJPH-U0GG-U00W-8KSK

Mixture.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Sealant

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Only Representative (OR)

ITW Permatex, Inc. ITW Permatex, Inc.

6875 Parkland Blvd. Bay 150

Solon, Ohio 44139 USA Shannon Industrial Estate

Telephone: 1-87-Permatex Co. Clare (866) 732-9502 Ireland V14 DF82 353(61)771500

353(61)471285

customerservice.shannon@itwpp.com

For further information, please contact

E-mail address: mail@permatex.com

Non-Emergency Telephone Number 866-732-9502

1.4. Emergency telephone number

24-hour emergency phone number 
EU Member States information as follows:

24-hour emergency phone number - §45 - (EC)1272/2008				
Europe	112			
Austria	01 406 43 43			
Belgium	070 245 245			
Bulgaria	+359 2 9154 233			
Croatia	+3851 2348 342			
Cyprus	1401			
Czech Republic	+420 224 919 293/ +420 224 915 402			
Denmark	+ 45 8212 1212			

16662/ (+372) 7943 794
0800 147 111/ 09 471 977
+33 (0)1 45 42 59 59
+49 228 192 40
(003) 2107793777
+36 80 201 199
543 2222
01 809 2166
0382-24444
+371 67042473
01 406 43 43
+370 (85) 2362052
(+352) 8002 5500
112
+31 (0)88 755 8000
22 59 13 00
112
+351 800 250 250
+40213183606
+421 2 5477 4166
112
+34 91 562 04 20
112
145
111

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### **Hazard statements**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]. EUH210 - Safety data sheet available on request.

- 42.2 % of the mixture consists of ingredient(s) of unknown acute toxicity.
- 3.2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
- 42.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
- 42.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
- 11.345 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

### Unknown aquatic toxicity

Contains 56.01475 % of components with unknown hazards to the aquatic environment.

#### 2.3. Other hazards

Other hazards No information available.

PBT & vPvB The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

**Endocrine Disruptor Information**This product does not contain any known or suspected endocrine disruptors.

# SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-ter m)	Notes
CALCIUM CARBONATE 471-34-1	15-40%	No data available	207-439-9	No data available	-	-	-	-
LIMESTONE 1317-65-3	10-30%	No data available	215-279-6	No data available	-	-	-	-
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT 64742-47-8	3-7%	No data available	265-149-8 (649-422-00-2)	Asp. Tox. 1 (H304)	-	-	-	-
POLYDIMETHYLSIL OXANE 63148-62-9	1-5%	No data available	-	No data available	-	-	-	-
STEARIC ACID 57-11-4	1-5%	No data available	200-313-4	No data available	-	-	-	-

Note P - The harmonized classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0.1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.

Note T - This substance may be marketed in a form which does not have the physical hazards as indicated by the classification in the entry in Part 3. If the results of the relevant method or methods in accordance with Part 2 of Annex I of this Regulation show that the specific form of substance marketed does not exhibit this physical property or these physical hazards, the substance shall be classified in accordance with the result or results of this test or these tests. Relevant information, including reference to the relevant test method(s) shall be included in the safety data sheet.

# Full text of H- and EUH-phrases: see section 16

### **Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
CALCIUM CARBONATE 471-34-1	6450	2000	3	No data available	No data available
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT 64742-47-8	5000	2000	No data available	No data available	No data available
POLYDIMETHYLSILOXA NE 63148-62-9	24000	No data available	No data available	No data available	No data available
STEARIC ACID 57-11-4	4600	2000	No data available	No data available	No data available

<sup>+</sup> This value is the harmonized acute toxicity estimate (ATE) listed in CLP Annex VI, Part 3. This harmonized ATE value must be used when calculating the acute toxicity estimate (ATEmix) for classifying a mixture containing the listed substance

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59).

# Section 4: First aid measures

#### 4.1. Description of first aid measures

**Inhalation** Remove to fresh air.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact**Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician.

**Ingestion** Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

**Effects of Exposure** No information available.

4.3. Indication of any immediate medical attention and special treatment needed

# Section 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

**Unsuitable extinguishing media**Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

# Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

**For emergency responders** Use personal protection recommended in Section 8.

6.2. Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

# 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510) Storage class 10.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### **Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
CALCIUM CARBONATE	-	-	-	-	TWA: 10 mg/m <sup>3</sup>
471-34-1					TWA: 4 mg/m <sup>3</sup>
LIMESTONE	-	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup>	-
1317-65-3					
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
LIMESTONE	-	TWA: 10.0 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup>	-
1317-65-3				TWA: 5 mg/m <sup>3</sup>	
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
CALCIUM CARBONATE	TWA: 10 mg/m <sup>3</sup>	-	-	-	-
471-34-1					
LIMESTONE	-	-	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
1317-65-3				TWA: 5 mg/m <sup>3</sup>	
DISTILLATES	-	TWA:	TWA: 5 mg/m <sup>3</sup>	-	-
(PETROLEUM),			TWA: 50 ppm		
HYDROTREATED LIGHT			TWA: 350 mg/m <sup>3</sup>		
64742-47-8			Peak: 20 mg/m <sup>3</sup>		
			Peak: 100 ppm		
			Peak: 700 mg/m <sup>3</sup>		
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
CALCIUM CARBONATE	-	-	-	TWA: 6 mg/m <sup>3</sup>	-
471-34-1					

LIMESTONE 1317-65-3	TWA: 10 TWA: 4 r STEL: 30 STEL: 12	mg/m³ mg/m³	-	-	-		-
STEARIC ACID 57-11-4	-		-	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	-		-
Chemical name	Luxemb	ourg	Malta	Netherlands	Norv	way	Poland
CALCIUM CARBONATE 471-34-1	-		-	-	-		TWA: 10 mg/m <sup>3</sup>
Chemical name	Portu	gal	Romania	Slovakia	Slove	enia	Spain
LIMESTONE 1317-65-3	-		TWA: 10 mg/m <sup>3</sup>	-	-		-
POLYDIMETHYLSILOXA NE 63148-62-9	-		TWA: 200 mg/m <sup>3</sup> STEL: 300 mg/m <sup>3</sup> Sk*	-	-		-
Chemical name			Sweden	Switzerlan	id	Ur	nited Kingdom
CALCIUM CARBON 471-34-1	IATE		-	TWA: 3 mg/ TWA: 10 mg			-
LIMESTONE 1317-65-3		-	-		T ST	VA: 10 mg/m <sup>3</sup> WA: 4 mg/m <sup>3</sup> 'EL: 30 mg/m <sup>3</sup> 'EL: 12 mg/m <sup>3</sup>	
DISTILLATES (PETRO HYDROTREATED L 64742-47-8			<u>-</u>	TWA: 50 pp TWA: 350 mp TWA: 5 mg STEL: 100 p STEL: 700 m	g/m³ /m³ ppm		_

# Biological occupational exposure limits

Note 1: Details about BEL values can be found in Annex 2 of the Austrian Ordinance on Health Monitoring in the Workplace.

# Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
CALCIUM CARBONATE	-	-	6.36 mg/m <sup>3</sup> [5] [6]
471-34-1			
VINYL OXIMINOSILANE	-	0.15 mg/kg bw/day [4] [6]	1.06 mg/m³ [4] [6]
2224-33-1			
STEARIC ACID	-	10 mg/kg bw/day [4] [6]	17.632 mg/m³ [4] [6]
57-11-4			
CARBON BLACK	-	-	1 mg/m³ [4] [6]
1333-86-4			0.5 mg/m³ [5] [6]
OXIMINOSILANE	-	0.134 mg/kg bw/day [4] [6]	0.942 mg/m³ [4] [6]
34206-40-1			
MINERAL OIL	-	217.05 mg/kg bw/day [4] [6]	164.56 mg/m³ [4] [6]
8042-47-5			
2-BUTANONE OXIME	-	1.3 mg/kg bw/day [4] [6]	9 mg/m³ [4] [6]
96-29-7		2.5 mg/kg bw/day [4] [7]	3.33 mg/m³ [5] [6]
OCTAMETHYLCYCLOTETRASILOXA	-	-	73 mg/m³ [4] [6]
NE			73 mg/m³ [5] [6]
556-67-2			
NAPHTHA, SOLVENT	-	80 mg/kg bw/day [4] [6]	44 mg/m³ [4] [6]
8052-41-3		30 mg/kg bw/day [4] [7]	55 mg/m³ [4] [7]
		7.56 mg/cm2 [5] [6]	44 mg/m³ [5] [6]
			55 mg/m³ [5] [7]
METHANOL	-	20 mg/kg bw/day [4] [6]	130 mg/m³ [4] [6]
67-56-1		20 mg/kg bw/day [4] [7]	130 mg/m³ [4] [7]
			130 mg/m³ [5] [6]
			130 mg/m³ [5] [7]

**Notes** 

[4] [5] [6] [7] Systemic health effects. Local health effects.

Long term. Short term.

# **Derived No Effect Level (DNEL) - General Public**

Chemical name	Oral	Dermal	Inhalation
CALCIUM CARBONATE 471-34-1	6.1 mg/kg bw/day [4] [6] 6.1 mg/kg bw/day [4] [7]	-	1.06 mg/m³ [5] [6]
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT 64742-47-8	18.75 mg/kg bw/day [4] [6]	-	-
VINYL OXIMINOSILANE 2224-33-1	0.075 mg/kg bw/day [4] [6]	-	0.26 mg/m <sup>3</sup> [4] [6]
STEARIC ACID 57-11-4	2.5 mg/kg bw/day [4] [6]	-	4.348 mg/m³ [4] [6]
CARBON BLACK 1333-86-4	-	-	0.06 mg/m <sup>3</sup> [4] [6]
OXIMINOSILANE 34206-40-1	0.067 mg/kg bw/day [4] [6]	-	0.232 mg/m³ [4] [6]
MINERAL OIL 8042-47-5	25 mg/kg bw/day [4] [6]	-	34.78 mg/m³ [4] [6]
2-BUTANONE OXIME 96-29-7	-	1.5 mg/kg bw/day [4] [6] 1.5 mg/kg bw/day [4] [7]	2.7 mg/m³ [4] [6] 2 mg/m³ [5] [6]
OCTAMETHYLCYCLOTETRASILOXA NE 556-67-2	3.7 mg/kg bw/day [4] [6]	-	13 mg/m³ [4] [6] 13 mg/m³ [5] [6]
NAPHTHA, SOLVENT 8052-41-3	10.56 mg/kg bw/day [4] [6] 50 mg/kg bw/day [4] [7]	60 mg/kg bw/day [4] [6] 60 mg/kg bw/day [4] [7] 3.78 mg/cm2 [5] [6]	22 mg/m <sup>3</sup> [4] [6] 55 mg/m <sup>3</sup> [4] [7] 22 mg/m <sup>3</sup> [5] [6] 55 mg/m <sup>3</sup> [5] [7]
METHANOL 67-56-1	4 mg/kg bw/day [4] [6] 4 mg/kg bw/day [4] [7]	4 mg/kg bw/day [4] [6] 4 mg/kg bw/day [4] [7]	26 mg/m³ [4] [6] 26 mg/m³ [4] [7] 26 mg/m³ [5] [6] 26 mg/m³ [5] [7]

**Notes** 

[4] [5] [6] [7] Systemic health effects. Local health effects. Long term. Short term.

# **Predicted No Effect Concentration (PNEC)**

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
VINYL OXIMINOSILANE 2224-33-1	0.01919 mg/L	-	0.001919 mg/L	-	-
OXIMINOSILANE 34206-40-1	0.0171 mg/L	-	0.00171 mg/L	-	-
GAMMA-AMINOPROPYL TRIMETHOXYSILANE 13822-56-5	0.5 mg/L	2.05 mg/L	0.05 mg/L	-	-
2-BUTANONE OXIME 96-29-7	0.256 mg/L	0.118 mg/L	-	-	-
OCTAMETHYLCYCLOTE TRASILOXANE 556-67-2	1.5 μg/L	-	0.15 μg/L	-	-
NAPHTHA, SOLVENT	0.14 mg/L	0.014 mg/L	0.35 mg/L	-	10 mg/m <sup>3</sup>

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
8052-41-3					
METHANOL 67-56-1	20.8 mg/L	1540 mg/L	2.08 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
CALCIUM CARBONATE 471-34-1	1	-	100 mg/L	-	-
VINYL OXIMINOSILANE 2224-33-1	1136.562 mg/kg sediment dw	113.656 mg/kg sediment dw	4.06 mg/L	133.8 mg/kg soil dw	3.333 mg/kg food
ALUMINIUM POWDER 7429-90-5	•	-	20 mg/L	-	
OXIMINOSILANE 34206-40-1	9835.346 mg/kg sediment dw	983.535 mg/kg sediment dw	4.825 mg/L	1157.93 mg/kg soil dw	2.97 mg/kg food
GAMMA-AMINOPROPYL TRIMETHOXYSILANE 13822-56-5	1.8 mg/kg sediment dw	0.18 mg/kg sediment dw	0.81 mg/L	0.069 mg/kg soil dw	11.1 mg/kg food
2-BUTANONE OXIME 96-29-7	-	-	177 mg/L	-	-
OCTAMETHYLCYCLOTE TRASILOXANE 556-67-2	3 mg/kg sediment dw	0.3 mg/kg sediment dw	10 mg/L	0.54 mg/kg soil dw	41 mg/kg food
NAPHTHA, SOLVENT 8052-41-3	1.14 mg/kg sediment dw	0.14 mg/kg sediment dw	-	-	-
METHANOL 67-56-1	77 mg/kg sediment dw	7.7 mg/kg sediment dw	100 mg/L	100 mg/kg soil dw	-

### 8.2. Exposure controls

**Engineering controls** No information available.

Personal protective equipment

**Eye/face protection** Appropriate eye/face protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction.

Hand protection Appropriate hand protection should be selected and used according to the chemical nature,

hazards and use of this product and safety requirements of the local jurisdiction.

**Skin and body protection** Appropriate skin and body protection should be selected and used according to the

chemical nature, hazards and use of this product and safety requirements of the local

jurisdiction.

**Respiratory protection** Appropriate respiratory protection should be selected and used according to the chemical

nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

Thermal hazards No information available.

**Environmental exposure controls** No information available.

# Section 9: Physical and chemical properties

Physical state Paste / Gel Liquid

**Appearance** Paste Color Black Odor Mild

**Odor threshold** No information available

Remarks • Method Property Values

Melting point / freezing point No data available **Boiling point / boiling** No data available

range

No data available Flammability (solid, gas) Flammability Limit in Air

Upper flammability None known No data available

limit:

Lower flammability No data available

limit:

Flash point > 95 °C

Autoignition No data available

temperature

рΗ No data available

None known

No data available pH (as aqueous solution) Kinematic viscosity No Data Available **Dynamic viscosity** No data available Water solubility No data available Solubility(ies) No Data Available None known Partition coefficient No Data Available None known Vapor pressure < 5

Relative density 1.44

**Bulk density** No data available **Density** No data available > 1

Vapor density

Particle characteristics

No information available **Particle Size** No information available **Particle Size** 

Distribution

9.2. Other information

**Decomposition temperature** 

0.002% 0.002 **VOC** content

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

# Section 10: Stability and reactivity

10.1. Reactivity

No information available. Reactivity

10.2. Chemical stability

Stable under normal conditions. Stability

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions 
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied. 10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous Decomposition Products None known based on information supplied.

# Section 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity Based on available data, the classification criteria are not met.

### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral) 15,503.80 mg/kg ATEmix (dermal) 4,740.90 mg/kg

ATEmix (inhalation-gas) 99,999.00 ppm

ATEmix (inhalation-vapor) 99,999.0000 mg/l

ATEmix (inhalation-dust/mist) 8.620 mg/l

- 3.2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
- 42.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
- 42.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
- 11.345 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
CALCIUM CARBONATE	= 6450 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 3 mg/L (Rat) 4 h
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
POLYDIMETHYLSILOXANE	> 24 g/kg (Rat)	-	-
STEARIC ACID	= 4600 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Revision Date 23-Jan-2025

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

**Carcinogenicity** Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

# Section 12: Ecological information

### 12.1. Toxicity

#### **Ecotoxicity**

**Unknown aquatic toxicity**Contains 56.01475 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
DISTILLATES (PETROLEUM),	-	LC50: =45mg/L (96h,	-	-
HYDROTREATED LIGHT		Pimephales promelas)		
		LC50: =2.2mg/L (96h,		
		Lepomis macrochirus)		
		LC50: =2.4mg/L (96h,		
		Oncorhynchus mykiss)		

### 12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

#### 12.4. Mobility in soil

No information available. Mobility in soil

# 12.5. Results of PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the PBT and vPvB assessment

threshold of declaration.

Chemical name	PBT and vPvB assessment	
CALCIUM CARBONATE	The substance is not PBT / vPvB	
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT	The substance is not PBT / vPvB	
STEARIC ACID	The substance is not PBT / vPvB	

### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** Based on available data, the classification criteria are not met.

### 12.7. Other adverse effects

Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

# Section 13: Disposal considerations

# 13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

# Section 14: Transport information

#### IATA

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

**Special Provisions** None

### **IMDG**

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated Not applicable 14.5 Environmental hazards

14.6 Special precautions for user

**Special Provisions** 

14.7 Maritime transport in bulk

according to IMO instruments

None

No information available

RID

14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
Not regulated
Not regulated
Not regulated
Not applicable

14.6 Special precautions for user

Special Provisions None

ADR

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

ADN

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazard
 Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

# Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations**

#### <u>France</u>

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT - 64742-47-8	RG 84	

#### Germany

Water hazard class (WGK) obviously hazardous to water (WGK 2)

TA Luft (German Air Pollution Control Regulation)

### <u>Netherlands</u>

Carcinogenic, mutagenic and reproductive toxic effects

### **Switzerland**

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Group I

Storage of Hazardous Material SC Non-hazardous material

WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20 Class A

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

### Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorization per	
	Annex XVII	REACH Annex XIV	
CALCIUM CARBONATE - 471-34-1	75	-	

# **Persistent Organic Pollutants**

Not applicable

Named dangerous substances per Seveso Directive (2012/18/EU)

#### Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable

### EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)	
CALCIUM CARBONATE - 471-34-1	Plant protection agent	

#### **International Inventories**

Natural **TSCA DSL/NDSL** Natural **EINECS/ELINCS** Natural **ENCS** Natural **IECSC** Natural KECI Natural Natural **PICCS AICS** Natural Complies **NZIoC** 

TCSI Contact supplier for inventory compliance status

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TCSI - Taiwan Chemical Substance Inventory

# 15.2. Chemical safety assessment

Chemical Safety Report No information available

# **SECTION 16: Other information**

Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H304 - May be fatal if swallowed and enters airways

#### Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

+ Sensitizers

Classification procedure			
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used		
Acute oral toxicity	Calculation method		
Acute dermal toxicity	Calculation method		
Acute inhalation toxicity - gas	Calculation method		
Acute inhalation toxicity - vapor	Calculation method		
Acute inhalation toxicity - dust/mist	Calculation method		
Skin corrosion/irritation	Calculation method		
Serious eye damage/eye irritation	Calculation method		
Respiratory sensitization	Calculation method		
Skin sensitization	Calculation method		
Mutagenicity	Calculation method		
Carcinogenicity	Calculation method		
Reproductive toxicity	Calculation method		
STOT - single exposure	Calculation method		
STOT - repeated exposure	Calculation method		
Chronic aquatic toxicity	Calculation method		
Acute aquatic toxicity	Calculation method		
Aspiration hazard	Calculation method		
Ozone	Calculation method		

# Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA API)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision Date 23-Jan-2025

# This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**